


2008 Health Tracking Physician Survey Public Use File: Codebook

(Release 1)



600 Maryland Avenue, SW
Suite 550
Washington, DC 20024
www.hschange.org

Technical Publication No.

79

January 2010

Health Tracking Physician Survey Public Use File

2008 Data

Introduction

This codebook describes the 2008 Health Tracking Physician Survey Public Use File, HTS08PP1.TXT. The file, which is distributed in ASCII format, contains 212 variables and 4,720 physician-level records. The unique record identifier and sort key is the variable PHYSIDX. In addition to this introduction, the codebook consists of three parts, an alphabetical listing of the variables, a positional listing of the variables, and the main portion of the codebook containing counts, percentages, and descriptive information on a variable-by-variable basis.

Codebook Sections

The variables included on the file are grouped and ordered based on the questions appearing in the various sections of the survey instrument, with two additional sections for non-questionnaire related variables. Imputation flags follow the corresponding imputed variable while constructed variables are inserted next to, or in some cases, in place of the applicable survey questionnaire variable.

- Survey Administration Variables
- Satisfaction with Medicine
- Practice Characteristics
- Hours Worked and Patient Visits
- Patient Characteristics
- Information Technology in Medicine
- Hospital Care
- Quality and Coordination of Patient Care
- Practice Acceptance of New Patients
- Sources of Practice Revenue
- Medical Malpractice
- Medical Equipment and Hospital Ownership
- Compensation
- Personal Background
- Weights and Sampling Variables

Variable Listings

The codebook contains lists of the variables on the file in alphabetical and positional order. Each list includes the variable name, start and end column position, and a brief description or label for the variable. This description is prefaced by the following indicators: "PH" indicates the Physician Survey, and "5" indicates that this is the fifth physician survey conducted by the Center for Studying Health System Change.¹ The questionnaire item number, "CV" to denote a constructed variable, or "AMA" to denote a variable from the external AMA file follows these indicators. The same descriptions are also provided in the LABEL statement section of the SAS user file provided with the public use file.

1 While the 2008 Health Tracking Physician Survey is the fifth physician survey, it is distinct from its predecessor, the Community Tracking Study (CTS) series, which comprise the first four surveys. Estimates from the 2008 physician survey should not be compared with those from the CTS physician surveys because of changes in survey administration from telephone to mail, question wording, skip patterns, sample structure and population represented.

Main Codebook

The main portion of the codebook follows the alphabetical and positional listings. Unweighted counts, cumulative counts, percentages, and cumulative percentages for each variable are displayed. The counts and percentages for each variable are arranged such that valid, non-missing data appear first, followed by missing data (“-9 Not Ascertained”), and concluding with inapplicable (“-1”) responses which were not asked due to skip pattern logic. In addition, a number of informational fields about each variable are included to assist the user in working with the data. These include:

| | |
|----------------|---|
| Variable Name: | Alphanumeric name for the variable, limited to 8 characters in length. |
| Variable Type: | Numeric or character variable. |
| Length: | Variable length and number of decimal places. |
| Start/End: | Start and end columns in the ASCII data file. |
| Question: | Questionnaire item number and text. For variables corresponding directly to a questionnaire item, the question number and text of the related questionnaire item are provided in the Question field. For constructed, survey administration, and weight and sampling variables, the Question field has a value of “N/A” to denote a non-questionnaire related item. |
| Description: | Brief description of the variable, primarily used with constructed or non-questionnaire variables. |
| Universe: | Defines the set of individuals eligible to be asked the question, regardless of whether they responded. Physicians not included in the Universe for a particular variable were assigned a value of “-1 Inapplicable”. Note that if Universe is not defined, it means that the question was asked of <i>all</i> physicians. |

Additional information on variable construction and editing, as well as specific information on selected variables is included in Chapters 4 and 5 of the User Guide. To obtain national estimates using this file, users should refer to the information on sample design and estimation included in Chapter 2 of the User Guide. In addition, Chapter 3 of the User Guide provides information on deriving appropriate variance estimates.

Health Tracking Physician Survey Public Use File

2008 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| ADM_PAT | 433 | 434 | PH5:60.Flag for not admitting patients |
| ASIAPTX | 73 | 74 | PH5:16c.Pct patient-Asian or Pacific Islander |
| BDCTPSP | 19 | 20 | PH5:4.Board-certified in prim specialty? |
| BIRTHX | 7 | 8 | AMA:Birth year |
| BLCKPTX | 69 | 70 | PH5:16a.Pct patient-African American or Black |
| BONUSR | 387 | 388 | PH5:50.Eligible for bonus or incentive plan? |
| CHRNPT | 75 | 77 | PH5:16e.Pct patient-Has chronic condition |
| CMECRDT | 421 | 422 | PH5:52j.Frm drug companies:Adm to conf CME credits |
| COMPETE | 36 | 37 | PH5:9.Competitive situation of practice |
| COMPTYP | 385 | 386 | PH5:49.Method describes your basic compensation? |
| CSTTRVL | 419 | 420 | PH5:52g.From drug companies:travel to meeting cst? |
| DIAGCST | 306 | 307 | PH5:36b.If not sure, cnsdr OOP cst in decide test? |
| DM_PGM | 273 | 274 | PH5:32.Pats in disease managemnt prog by hlth plan |
| DMPDRQC | 277 | 278 | PH5:32a_2.DMP improve ability provd high qual care |
| DMPOVQC | 275 | 276 | PH5:32a_1.DMP improve quality of care for chrn pat |
| EDUMNPT | 84 | 85 | PH5:19.Attend educ improve minority patient hlth? |
| EFGUIDE | 197 | 198 | PH5:26.Effect of formal writtn guideline |
| EMRUSE | 182 | 183 | PH5:21.Main Practce use Electronic Medical Record? |
| EPATAST | 257 | 258 | PH5:31d_1.Asthma:Non-phys staff to educ patients |
| EPATCHF | 263 | 264 | PH5:31d_4.CHF:Non-phys staff to educate patients |
| EPATDEP | 261 | 262 | PH5:31d_3.Depression:Non-phys staff to educ patients |
| EPATDIA | 259 | 260 | PH5:31d_2.Diabetes:Non-phys staff to educ patients |
| ERRREPT | 186 | 187 | PH5:23.Hosp have system to report medical errors? |
| FORMLRY | 301 | 303 | PH5:35.Pct of pats have RX covrge incl formulary? |
| FREEFD | 409 | 410 | PH5:52a.From drug companies:Free food/beverages? |
| FREERX | 411 | 412 | PH5:52b.From drug companies:Free drug samples? |
| GENDER | 9 | 10 | PH5:AMA:Sex,1-Male,2-Female |
| GENERIC | 304 | 305 | PH5:36a.How often do you prescribe a generic RX |
| GENGAST | 233 | 234 | PH5:31a_1.Asthma:written guidelines in English |
| GENGCHF | 239 | 240 | PH5:31a_4.CHF:written guidelines in English |
| GENGDEP | 237 | 238 | PH5:31a_3.Depression:written guidelines in English |
| GENGDIA | 235 | 236 | PH5:31a_2.Diabetes:written guidelines in English |
| GFTOTHX | 423 | 424 | PH5:CV:Othr compensation from drug companies |
| GOTHAST | 241 | 242 | PH5:31b_1.Asthma:written guidelines in other lang |
| GOTHCHF | 247 | 248 | PH5:31b_4.CHF:written guidelines in other lang |

Health Tracking Physician Survey Public Use File

2008 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| GOTHDEP | 245 | 246 | PH5:31b_3.Depression:written guidelines other lang |
| GOTHDIA | 243 | 244 | PH5:31b_2.Diabetes:written guidelnes in other lang |
| GVSTAST | 265 | 266 | PH5:31e_1.Asthma:Group visits w/ staff provid care |
| GVSTCHF | 271 | 272 | PH5:31e_4.CHF:Group visits w/ staff provide care |
| GVSTDEP | 269 | 270 | PH5:31e_3.Depression:Group visits w/ staff prvd care |
| GVSTDIA | 267 | 268 | PH5:31e_2.Diabetes:Group visits w/ staff prvd care |
| HISPPTX | 71 | 72 | PH5:16b.Pct patient-Hispanic or Latino |
| HMSOWNX | 27 | 28 | PH5:CV:Othr ownership is solely hosp and/or med schl |
| HNSPEAK | 413 | 414 | PH5:52c.From drug companies:Honoraria for speakng? |
| HNSRVY | 415 | 416 | PH5:52d.From drug companies:Honoraria in surveys? |
| HOSPVX | 45 | 46 | PH5:12b.Num visits on hospital rounds |
| HRFREEEX | 65 | 66 | PH5:15.Hours last month provide charity care |
| HRSMEDX | 40 | 41 | PH5:CV:edited Hrs last week, med-related actvty |
| HSPLST | 188 | 190 | PH5:24.Pct of hosplzd pat had hospitalst invloved? |
| HSPLSTA | 191 | 192 | PH5:24.Did not admit patients to hospital last yr |
| HSPLSTB | 193 | 194 | PH5:24.respondent is practicing hospitalst |
| I_LANG | 82 | 83 | PH5:CV:Summary variable - number of languages |
| IMAGOWN | 377 | 378 | PH5:45c_1.Practice own/lease equipment:Oth imaging |
| IMPPERF | 407 | 408 | PH5:51e_2.Important for comp: Practice performance |
| IMPPROD | 391 | 392 | PH5:51a_2.Imprtant for your comp: own productivity |
| IMPPROF | 403 | 404 | PH5:51d_2.Imprtant for your comp:Profiling results |
| IMPQUAL | 399 | 400 | PH5:51c_2.Important for your comp:Quality measures |
| IMPSAT | 395 | 396 | PH5:51b_2.Imprtant for your comp:Satisfaction srvy |
| INCCAT | 427 | 428 | PH5:54.Net income from practice of medicine, catg |
| INCENT | 34 | 35 | PH5:8.Overall financial incentives |
| INCPROD | 429 | 430 | PH5:55.Pct net income based on your productivity? |
| INTPRTR | 80 | 81 | PH5:18.Practice provd interpreter service? |
| INTSVST | 195 | 196 | PH5:25.Hosp ICU you used covered by intensivists? |
| IOPTCST | 308 | 309 | PH5:36c.Cnsdr OOP cst in decide outpt/inpat care? |
| IT_FORM | 164 | 165 | PH5:20bPD.IT avail get info on formularies |
| IT_FORMU | 168 | 169 | PH5:CV:IT avail/use get info on formularies |
| IT_FORMX | 166 | 167 | PH5:20b_1PD.IT used get info on formularies |
| IT_TRT | 86 | 87 | PH5:20aCP.IT avail get info on recmmnded guideline |
| IT_TRTU | 90 | 91 | PH5:CV:IT avail/use get info on recmmnded guideline |
| IT_TRTX | 88 | 89 | PH5:20a_1CP.IT used get info on recmmnded guidelne |

Health Tracking Physician Survey Public Use File

2008 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|---|
| ITCLIN | 140 | 141 | PH5:20dPI.IT avail exchnng clin data w/ other phys |
| ITCLINU | 144 | 145 | PH5:CV:IT avail/use exchnng clin data w/ other phys |
| ITCLINX | 142 | 143 | PH5:20d_1PI.IT used exchnng clin data w/ other phys |
| ITCOMM | 116 | 117 | PH5:20fCP.IT avail communication w/ pat by e-mail |
| ITCOMMU | 120 | 121 | PH5:CV:IT avail/use communication w/ pat by e-mail |
| ITCOMMXX | 118 | 119 | PH5:20f_1CP.IT used communication w/ pat by e-mail |
| ITDCSN | 92 | 93 | PH5:20bCP.IT avail get decision support |
| ITDCSNU | 96 | 97 | PH5:CV:IT avail/use get decision support |
| ITDCSNX | 94 | 95 | PH5:20b_1CP.IT used get decision support |
| ITDRFUP | 104 | 105 | PH5:20dCP.IT avail remind clincian on follow-up |
| ITDRFUPU | 108 | 109 | PH5:CV:IT avail/use remind clincian on follow-up |
| ITDRFUPX | 106 | 107 | PH5:20d_1CP.IT used remind clincian on follow-up |
| ITDRUG | 158 | 159 | PH5:20aPD.IT avail get info on pat RX interaction |
| ITDRUGU | 162 | 163 | PH5:CV:IT avail/use get info on pat RX interaction |
| ITDRUGX | 160 | 161 | PH5:20a_1PD.IT used get info on pat RX interaction |
| ITHOSP | 146 | 147 | PH5:20ePI.IT avail exchg clin data w/ hosp and lab |
| ITHOSPU | 150 | 151 | PH5:CV:IT avail/use exchg clin data w/ hosp and lab |
| ITHOSPX | 148 | 149 | PH5:20e_1PI.IT use exchg clin data w/ hosp and lab |
| ITINCNT | 184 | 185 | PH5:22.Any financial incentives tied to IT used? |
| ITLANG | 152 | 153 | PH5:20fPI.IT avail access info on pat prefer lang |
| ITLANGU | 156 | 157 | PH5:CV:IT avail/use access info on pat prefer lang |
| ITLANGX | 154 | 155 | PH5:20f_1PI.IT used access info on pat prefer lang |
| ITNOTES | 122 | 123 | PH5:20aPI.IT avail to access patient notes |
| ITNOTESU | 126 | 127 | PH5:CV:IT avail/use to access patient notes |
| ITNOTESX | 124 | 125 | PH5:20a_1PI.IT used to access patient notes |
| ITPHRM | 176 | 177 | PH5:20dPD.IT avail transmit RX to pharmacy |
| ITPHRMU | 180 | 181 | PH5:CV:IT avail/use transmit RX to pharmacy |
| ITPHRMX | 178 | 179 | PH5:20d_1PD.IT used transmit RX to pharmacy |
| ITPRESC | 170 | 171 | PH5:20cPD.IT avail to write prescriptions |
| ITPRESCU | 174 | 175 | PH5:CV:IT avail/use to write prescriptions |
| ITPRESCX | 172 | 173 | PH5:20c_1PD.IT used to write prescriptions |
| ITRMNDR | 98 | 99 | PH5:20cCP.IT avail remind clincian on prev service |
| ITRMNDRU | 102 | 103 | PH5:CV:IT avail/use remind clincian on prev service |
| ITRMNDRX | 100 | 101 | PH5:20c_1CP.IT use remind clincian on prev service |
| ITRMNPT | 110 | 111 | PH5:20eCP.IT avail remind patients on prev service |

Health Tracking Physician Survey Public Use File

2008 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| ITRMNPTU | 114 | 115 | PH5:CV:IT avail/use remind patients on prev service |
| ITRMNPTX | 112 | 113 | PH5:20e_1CP.IT used remind patients on prev service |
| ITRSLT | 134 | 135 | PH5:20cPI.IT avail view lab, diag test result |
| ITRSLTU | 138 | 139 | PH5:CV:IT avail/use view lab, diag test result |
| ITRSLTX | 136 | 137 | PH5:20c_1PI.IT used view lab, diag test result |
| ITTEST | 128 | 129 | PH5:20bPI.IT avail to order lab, other diag tests |
| ITTESTU | 132 | 133 | PH5:CV:IT avail/use to order lab, other diag tests |
| ITTESTX | 130 | 131 | PH5:20b_1PI.IT used to order lab, other diag tests |
| IVPROWN | 381 | 382 | PH5:45e_1.Practice own/lease: Invasive procedures |
| KNOWALL | 279 | 280 | PH5:33a:How often know your pat vsts to other phys |
| LABOWN | 373 | 374 | PH5:45a_1.Practice own/lease equipmnt: Lab testing |
| LANGPTX | 78 | 79 | PH5:17.Pct patient-speak differnt languages |
| LOCFREEX | 67 | 68 | PH5:15a.Location provide charity care |
| MALCNSLT | 369 | 370 | PH5:44.Ask consultant to reduce risk of being sued |
| MALCRISK | 371 | 372 | PH5:44.Rely technology to avoid malpractice suits |
| MALDAILY | 365 | 366 | PH5:44.Pressured by threat of malpractice suits |
| MALTESTS | 367 | 368 | PH5:44.Order tests to avoid malpractice suits |
| MALWORRY | 363 | 364 | PH5:44.Concerned be involved malpractice in 10 yrs |
| MDBILL | 340 | 341 | PH5:39a.No accept Mcaid:billing requirement |
| MDDELAY | 342 | 343 | PH5:39a.No accept Mcaid:delayed reimbursement |
| MDNUFPT | 346 | 347 | PH5:39a.No accept Mcaid:have enough patients |
| MDPTBUR | 348 | 349 | PH5:39a.No accept Mcaid:Mcaid pat high clin burdn |
| MDREIMB | 344 | 345 | PH5:39a.No accept Mcaid:inadequate reimb |
| MNTRAST | 249 | 250 | PH5:31c_1.Asthma:care manager monitor/coord care |
| MNTRCHF | 255 | 256 | PH5:31c_4.CHF:care manager monitor/coordinate care |
| MNTRDEP | 253 | 254 | PH5:31c_3.Depression:care manager monitor/coord care |
| MNTRDIA | 251 | 252 | PH5:31c_2.Diabetes:care manager monitor/coord care |
| MRAUDIT | 330 | 331 | PH5:38a.No accept Mcare:concern about audit |
| MRBILL | 328 | 329 | PH5:38a.No accept Mcare:billing requirement |
| MRELCMPX | 425 | 426 | PH5:53.Total value received from drug companies |
| MRNUFPT | 334 | 335 | PH5:38a.No accept Mcare:have enough patients |
| MRPTBUR | 336 | 337 | PH5:38a.No accept Mcare:Mcare pat high clin burdn |
| MRREIMB | 332 | 333 | PH5:38a.No accept Mcare:inadequate reimb |
| NIVOWN | 379 | 380 | PH5:45d_1.Practice own/lease: Non-invasive testing |
| NMCCON | 361 | 362 | PH5:43.Num of managed care contracts |

Health Tracking Physician Survey Public Use File

2008 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| NOTHOSP | 295 | 296 | PH5:34b.Unable obtained:Non-emergency hosp admsson |
| NOTINTRP | 299 | 300 | PH5:34d.Unable obtained:Interpreter services |
| NOTOUTP | 297 | 298 | PH5:34c.Unable obtained:Hi qual outpatient mental srvc |
| NOTREFS | 293 | 294 | PH5:34a.Unable obtained:Referrals high quality spec |
| NPHYSX | 31 | 33 | PH5:7a.Number of physicians at practice |
| NURSHMVX | 47 | 48 | PH5:12c.Number visits in nursing homes |
| NWMCAID | 338 | 339 | PH5:39. Accept new Medicaid patients |
| NWMCARE | 326 | 327 | PH5:38.Accept new Medicare patients |
| NWPRIV | 350 | 351 | PH5:40.Accept new privately insured |
| OFFCOPVX | 42 | 44 | PH5:12a.Number visits office & outpatient clinic |
| OTHOWNX | 29 | 30 | PH5:6a.Other ownership interest |
| OWNHSP | 383 | 384 | PH5:47.Main practice own(fully/in part) a hospital? |
| OWNPR | 23 | 24 | PH5:6.Ownership status in main practice |
| PCAPREV | 358 | 360 | PH5:42.Pct revenue from capitated basis? |
| PCP | 15 | 16 | HP5:CV:Primary care physician |
| PCPGET | 283 | 284 | PH5:33c.PCP-how often get useful info from spec? |
| PCPSEND | 281 | 282 | PH5:33b.PCP-how often send spec patient history |
| PCPTALK | 285 | 286 | PH5:33d.PCP-talk w/ pat about results of spec visit |
| PHYSIDX | 1 | 6 | PH5:Physician id number, masked |
| PHYSOWN | 25 | 26 | PH5:6a.Ownership interest, Oth physician |
| PMCAID | 355 | 357 | PH5:41_B.Pct revenue from Medicaid |
| PMCARE | 352 | 354 | PH5:41_A.Pct revenue from Medicare |
| PRCTYPE | 21 | 22 | PH5:CV: Practice type, edited |
| PYCNSLT | 417 | 418 | PH5:52e.From drug companies:Paymnt consulting svc? |
| QERRHSP | 324 | 325 | PH5:37h.Problem:Medical errors in hospitals |
| QINSREJ | 314 | 315 | PH5:37c.Problem:Insurance rejects care decision |
| QNONCMP | 322 | 323 | PH5:37g.Problm:Pat non-compliance w/ trtmnt recomd |
| QNOREPT | 318 | 319 | PH5:37e.Problem:Not getting timely rpt from oth dr |
| QNOSPEC | 316 | 317 | PH5:37d.Problem:Lack of qualified spec in area |
| QNOTIME | 310 | 311 | PH5:37a.Problem:Inadq time with pats during visit |
| QPRBCOM | 320 | 321 | PH5:37f.Problem:Comm difficulties due to language |
| QPRBPAY | 312 | 313 | PH5:37b.Problem:Patient unable to pay needed care |
| QRPTPGM | 223 | 224 | PH5:29.Qual reporting prog sponsored by outside org |
| RACETHX | 431 | 432 | PH5:CV:Race/ethnicity |
| RADQTIME | 199 | 200 | PH5:27a.Adequate time spend w/ patients on visit |

Health Tracking Physician Survey Public Use File

2008 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|---|
| RBEMLDR | 61 | 62 | PH5:14c.Reimbursed: E-mail physicians |
| RBEMLPT | 57 | 58 | PH5:14a.Reimbursed: E-mail patients |
| RBPHNDR | 63 | 64 | PH5:14d.Reimbursed: Phone physicians |
| RBPHNPT | 59 | 60 | PH5:14b.Reimbursed: Phone patients |
| RCARSAT | 11 | 12 | PH5:1.Overall Career satisfaction |
| RHIGHCAR | 201 | 202 | PH5:27b.Provide high quality care to all patients |
| RPTCHRO | 207 | 208 | PH5:28b_1.Own pat rpt, qual care delry to chrn pat |
| RPTCHRP | 209 | 210 | PH5:28b_2.Practce rpt, qual care delry to chrn pat |
| RPTDMO | 211 | 212 | PH5:28c_1.Own pat rpt, pat demographic information |
| RPTDMP | 213 | 214 | PH5:28c_2.Practce rpt, pat demographic information |
| RPTETHO | 215 | 216 | PH5:28d_1.Own pat rpt, qual care delry to dif race |
| RPTETHP | 217 | 218 | PH5:28d_2.Practce rpt, qual care delry to dif race |
| RPTLSTO | 219 | 220 | PH5:28e_1.Own pat rpt, patient lists or registries |
| RPTLSTP | 221 | 222 | PH5:28e_2.Practce rpt, patient lists or registries |
| RPTPCO | 203 | 204 | PH5:28a_1.Own pat rpt, qual preventive care delry |
| RPTPCP | 205 | 206 | PH5:28a_2.Practce rpt, qual preventive care delry |
| SELFREF | 291 | 292 | PH5:33g.How oftn are new pat you see self-referred? |
| SPCGET | 287 | 288 | PH5:33e.Spec-how often receive pat medical history |
| SPCSEND | 289 | 290 | PH5:33f.Spec-how often send results of consultation |
| SPEC | 17 | 18 | PH5:CV:7-cat speciality |
| SPERF | 405 | 406 | PH5:51e_1.Practice performance affect compensation |
| SPROD | 389 | 390 | PH5:51a_1.Own productivity affects compensation |
| SPROF | 401 | 402 | PH5:51d_1.Profiling results affects compensation |
| SQUAL | 397 | 398 | PH5:51c_1.Quality measures affects compensation |
| SSAT | 393 | 394 | PH5:51b_1.Satisfaction surveys affcts compensation |
| TMEMLDR | 53 | 54 | PH5:13c.Time spend e-mail physicians |
| TMEMLPT | 49 | 50 | PH5:13a.Time spend e-mail patients |
| TMPHNDR | 55 | 56 | PH5:13d.Time spend phone physicians |
| TMPHNPT | 51 | 52 | PH5:13b.Time spend phone patients |
| TRASTHM | 225 | 226 | PH5:30a.Practice routinely treat pat w/ Asthma |
| TRCHF | 231 | 232 | PH5:30c.Practice routinely treat pat w/ CHF |
| TRDIAB | 227 | 228 | PH5:30b.Practice routinely treat pat w/ Diabetes |
| TRDPRSN | 229 | 230 | PH5:30c.Practice routinely treat pat w/ Depression |
| WEIGHT | 435 | 444 | PH5:CV:Analysis Weight |
| WKSWRKX | 38 | 39 | PH5:10.Weeks practicing medicine in 2006 |

Health Tracking Physician Survey Public Use File

2008 Data

Alphabetical Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|---|
| XRAYOWN | 375 | 376 | PH5:45b_1.Practice own or lease equipment: X-rays |
| YRBGNX | 13 | 14 | PH5:2.Year began practicing medicine |

Health Tracking Physician Survey Public Use File
2008 Data
Positional Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| PHYSIDX | 1 | 6 | PH5:Physician id number, masked |
| BIRTHX | 7 | 8 | AMA:Birth year |
| GENDER | 9 | 10 | PH5:AMA:Sex,1-Male,2-Female |
| RCARSAT | 11 | 12 | PH5:1.Overall Career satisfaction |
| YRBGNX | 13 | 14 | PH5:2.Year began practicing medicine |
| PCP | 15 | 16 | HP5:CV:Primary care physician |
| SPEC | 17 | 18 | PH5:CV:7-cat speciality |
| BDCTPSP | 19 | 20 | PH5:4.Board-certified in prim specialty? |
| PRCTYPE | 21 | 22 | PH5:CV: Practice type, edited |
| OWNPR | 23 | 24 | PH5:6.Ownershp status in main practice |
| PHYSOWN | 25 | 26 | PH5:6a.Ownership interest, Oth physician |
| HMSOWNX | 27 | 28 | PH5:CV:Othr ownership is solely hosp and/or med schl |
| OTHOWNX | 29 | 30 | PH5:6a.Other ownership interest |
| NPHYSX | 31 | 33 | PH5:7a.Number of physicians at practice |
| INCENT | 34 | 35 | PH5:8.Overall financial incentives |
| COMPETE | 36 | 37 | PH5:9.Competitive situation of practice |
| WKSWRKX | 38 | 39 | PH5:10.Weeks practicing medicine in 2006 |
| HRSMEDX | 40 | 41 | PH5:CV:edited Hrs last week, med-related actvty |
| OFFCOPVX | 42 | 44 | PH5:12a.Number visits office & outpat clinic |
| HOSPVX | 45 | 46 | PH5:12b.Num visits on hospital rounds |
| NURSHMVX | 47 | 48 | PH5:12c.Number visits in nursing homes |
| TMEMLPT | 49 | 50 | PH5:13a.Time spend e-mail patients |
| TMPHNPT | 51 | 52 | PH5:13b.Time spend phone patients |
| TMEMLDR | 53 | 54 | PH5:13c.Time spend e-mail physicians |
| TMPHNDR | 55 | 56 | PH5:13d.Time spend phone physicians |
| RBEMLPT | 57 | 58 | PH5:14a.Reimbursed: E-mail patients |
| RBPHNPT | 59 | 60 | PH5:14b.Reimbursed: Phone patients |
| RBEMLDR | 61 | 62 | PH5:14c.Reimbursed: E-mail physicians |
| RBPHNDR | 63 | 64 | PH5:14d.Reimbursed: Phone physicians |
| HRFREEEX | 65 | 66 | PH5:15.Hours last month provide charity care |
| LOCFREEEX | 67 | 68 | PH5:15a.Location provide charity care |
| BLCKPTX | 69 | 70 | PH5:16a.Pct patient-African American or Black |
| HISPPTX | 71 | 72 | PH5:16b.Pct patient-Hispanic or Latino |
| ASIAPTX | 73 | 74 | PH5:16c.Pct patient-Asian or Pacific Islander |
| CHRNPT | 75 | 77 | PH5:16e.Pct patient-Has chronic condition |

Health Tracking Physician Survey Public Use File

2008 Data

Positional Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|---|
| LANGPTX | 78 | 79 | PH5:17.Pct patient-speak differnt languages |
| INTPRTR | 80 | 81 | PH5:18.Practice provd interpreter service? |
| I_LANG | 82 | 83 | PH5:CV:Summary variable - number of languages |
| EDUMNPT | 84 | 85 | PH5:19.Attend educ improve minority patient hlth? |
| IT_TRT | 86 | 87 | PH5:20aCP.IT avail get info on recmmnded guideline |
| IT_TRTX | 88 | 89 | PH5:20a_1CP.IT used get info on recmmnded guidelne |
| IT_TRTU | 90 | 91 | PH5:CV:IT avail/use get info on recmmnded guideline |
| ITDCSN | 92 | 93 | PH5:20bCP.IT avail get decision support |
| ITDCSNX | 94 | 95 | PH5:20b_1CP.IT used get decision support |
| ITDCSNU | 96 | 97 | PH5:CV:IT avail/use get decision support |
| ITRMNDR | 98 | 99 | PH5:20cCP.IT avail remind clincian on prev service |
| ITRMNDRX | 100 | 101 | PH5:20c_1CP.IT use remind clincian on prev service |
| ITRMNDRU | 102 | 103 | PH5:CV:IT avail/use remind clincian on prev service |
| ITDRFUP | 104 | 105 | PH5:20dCP.IT avail remind clincian on follow-up |
| ITDRFUPX | 106 | 107 | PH5:20d_1CP.IT used remind clincian on follow-up |
| ITDRFUPU | 108 | 109 | PH5:CV:IT avail/use remind clincian on follow-up |
| ITRMNPT | 110 | 111 | PH5:20eCP.IT avail remind patients on prev service |
| ITRMNPTX | 112 | 113 | PH5:20e_1CP.IT used remind patients on prev service |
| ITRMNPTU | 114 | 115 | PH5:CV:IT avail/use remind patients on prev service |
| ITCOMM | 116 | 117 | PH5:20fCP.IT avail communication w/ pat by e-mail |
| ITCOMMX | 118 | 119 | PH5:20f_1CP.IT used communication w/ pat by e-mail |
| ITCOMMU | 120 | 121 | PH5:CV:IT avail/use communication w/ pat by e-mail |
| ITNOTES | 122 | 123 | PH5:20aPI.IT avail to access patient notes |
| ITNOTESX | 124 | 125 | PH5:20a_1PI.IT used to access patient notes |
| ITNOTESU | 126 | 127 | PH5:CV:IT avail/use to access patient notes |
| ITTEST | 128 | 129 | PH5:20bPI.IT avail to order lab, other diag tests |
| ITTESTX | 130 | 131 | PH5:20b_1PI.IT used to order lab, other diag tests |
| ITTESTU | 132 | 133 | PH5:CV:IT avail/use to order lab, other diag tests |
| ITRSLT | 134 | 135 | PH5:20cPI.IT avail view lab, diag test result |
| ITRSLTX | 136 | 137 | PH5:20c_1PI.IT used view lab, diag test result |
| ITRSLTU | 138 | 139 | PH5:CV:IT avail/use view lab, diag test result |
| ITCLIN | 140 | 141 | PH5:20dPI.IT avail exchng clin data w/ other phys |
| ITCLINX | 142 | 143 | PH5:20d_1PI.IT used exchng clin data w/ other phys |
| ITCLINU | 144 | 145 | PH5:CV:IT avail/use exchng clin data w/ other phys |
| ITHOSP | 146 | 147 | PH5:20ePI.IT avail exchg clin data w/ hosp and lab |

Health Tracking Physician Survey Public Use File
2008 Data
Positional Listing of Variables

| Variable | Start | End | Description |
|----------|-------|-----|---|
| ITHOSPX | 148 | 149 | PH5:20e_1PI.IT use exchg clin data w/ hosp and lab |
| ITHOSPU | 150 | 151 | PH5:CV:IT avail/use exchg clin data w/ hosp and lab |
| ITLANG | 152 | 153 | PH5:20fPI.IT avail access info on pat prefer lang |
| ITLANGX | 154 | 155 | PH5:20f_1PI.IT used access info on pat prefer lang |
| ITLANGU | 156 | 157 | PH5:CV:IT avail/use access info on pat prefer lang |
| ITDRUG | 158 | 159 | PH5:20aPD.IT avail get info on pat RX interaction |
| ITDRUGX | 160 | 161 | PH5:20a_1PD.IT used get info on pat RX interaction |
| ITDRUGU | 162 | 163 | PH5:CV:IT avail/use get info on pat RX interaction |
| IT_FORM | 164 | 165 | PH5:20bPD.IT avail get info on formularies |
| IT_FORMX | 166 | 167 | PH5:20b_1PD.IT used get info on formularies |
| IT_FORMU | 168 | 169 | PH5:CV:IT avail/use get info on formularies |
| ITPRESC | 170 | 171 | PH5:20cPD.IT avail to write prescriptions |
| ITPRESCX | 172 | 173 | PH5:20c_1PD.IT used to write prescriptions |
| ITPRESCU | 174 | 175 | PH5:CV:IT avail/use to write prescriptions |
| ITPHRM | 176 | 177 | PH5:20dPD.IT avail transmit RX to pharmacy |
| ITPHRMX | 178 | 179 | PH5:20d_1PD.IT used transmit RX to pharmacy |
| ITPHRMU | 180 | 181 | PH5:CV:IT avail/use transmit RX to pharmacy |
| EMRUSE | 182 | 183 | PH5:21.Main Practce use Electronic Medical Record? |
| ITINCNT | 184 | 185 | PH5:22.Any financial incentives tied to IT used? |
| ERRREPT | 186 | 187 | PH5:23.Hosp have system to report medical errors? |
| HSPLST | 188 | 190 | PH5:24.Pct of hosplzd pat had hospitalst invloved? |
| HSPLSTA | 191 | 192 | PH5:24.Did not admit patients to hospital last yr |
| HSPLSTB | 193 | 194 | PH5:24.respondent is practicing hospitalst |
| INTSVST | 195 | 196 | PH5:25.Hosp ICU you used covered by intensivists? |
| EFGUIDE | 197 | 198 | PH5:26.Effect of formal writtn guideline |
| RADQTIME | 199 | 200 | PH5:27a.Adequate time spend w/ patients on visit |
| RHIGHCAR | 201 | 202 | PH5:27b.Provide high quality care to all patients |
| RPTPCO | 203 | 204 | PH5:28a_1.Own pat rpt, qual preventive care delry |
| RPTPCP | 205 | 206 | PH5:28a_2.Practce rpt, qual preventive care delry |
| RPTCHRO | 207 | 208 | PH5:28b_1.Own pat rpt, qual care delry to chrn pat |
| RPTCHRP | 209 | 210 | PH5:28b_2.Practce rpt, qual care delry to chrn pat |
| RPTDMO | 211 | 212 | PH5:28c_1.Own pat rpt, pat demographic information |
| RPTDMP | 213 | 214 | PH5:28c_2.Practce rpt, pat demographic information |
| RPTETHO | 215 | 216 | PH5:28d_1.Own pat rpt, qual care delry to dif race |
| RPTETHP | 217 | 218 | PH5:28d_2.Practce rpt, qual care delry to dif race |

Health Tracking Physician Survey Public Use File

2008 Data

Positional Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| RPTLSTO | 219 | 220 | PH5:28e_1.Own pat rpt, patient lists or registries |
| RPTLSTP | 221 | 222 | PH5:28e_2.Practce rpt, patient lists or registries |
| QRPTPGM | 223 | 224 | PH5:29.Qual reporting prog sponsored by outside org |
| TRASTHM | 225 | 226 | PH5:30a.Practice routinely treat pat w/ Asthma |
| TRDIAB | 227 | 228 | PH5:30b.Practice routinely treat pat w/ Diabetes |
| TRDPRSN | 229 | 230 | PH5:30c.Practice routinely treat pat w/ Depression |
| TRCHF | 231 | 232 | PH5:30c.Practice routinely treat pat w/ CHF |
| GENGAST | 233 | 234 | PH5:31a_1.Asthma:written guidelines in English |
| GENGDIA | 235 | 236 | PH5:31a_2.Diabetes:written guidelines in English |
| GENGDEP | 237 | 238 | PH5:31a_3.Depression:written guidelines in English |
| GENGCHF | 239 | 240 | PH5:31a_4.CHF:written guidelines in English |
| GOTHAST | 241 | 242 | PH5:31b_1.Asthma:written guidelines in other lang |
| GOTHDIA | 243 | 244 | PH5:31b_2.Diabetes:written guidelnes in other lang |
| GOTHDEP | 245 | 246 | PH5:31b_3.Depression:written guidelines other lang |
| GOTHCHF | 247 | 248 | PH5:31b_4.CHF:written guidelines in other lang |
| MNTRAST | 249 | 250 | PH5:31c_1.Asthma:care manager monitor/coord care |
| MNTRDIA | 251 | 252 | PH5:31c_2.Diabetes:care manager monitor/coord care |
| MNTRDEP | 253 | 254 | PH5:31c_3.Depression:care manager monitor/coord care |
| MNTRCHF | 255 | 256 | PH5:31c_4.CHF:care manager monitor/coordinate care |
| EPATAST | 257 | 258 | PH5:31d_1.Asthma:Non-phys staff to educ patients |
| EPATDIA | 259 | 260 | PH5:31d_2.Diabetes:Non-phys staff to educ patients |
| EPATDEP | 261 | 262 | PH5:31d_3.Depression:Non-phys staff to educ patients |
| EPATCHF | 263 | 264 | PH5:31d_4.CHF:Non-phys staff to educate patients |
| GVSTAST | 265 | 266 | PH5:31e_1.Asthma:Group visits w/ staff provid care |
| GVSTDIA | 267 | 268 | PH5:31e_2.Diabetes:Group visits w/ staff prvd care |
| GVSTDEP | 269 | 270 | PH5:31e_3.Depression:Group visits w/ staff prvd care |
| GVSTCHF | 271 | 272 | PH5:31e_4.CHF:Group visits w/ staff provide care |
| DM_PGM | 273 | 274 | PH5:32.Pats in disease managemnt prog by hlth plan |
| DMPOVQC | 275 | 276 | PH5:32a_1.DMP improve quality of care for chrn pat |
| DMPDRQC | 277 | 278 | PH5:32a_2.DMP improve ability provd high qual care |
| KNOWALL | 279 | 280 | PH5:33a:How often know your pat vsts to other phys |
| PCPSEND | 281 | 282 | PH5:33b.PCP-how often send spec patient history |
| PCPGET | 283 | 284 | PH5:33c.PCP-how often get useful info from spec? |
| PCPTALK | 285 | 286 | PH5:33d.PCP-talk w/ pat about results of spec visit |
| SPCGET | 287 | 288 | PH5:33e.Spec-how often receive pat medical history |

Health Tracking Physician Survey Public Use File

2008 Data

Positional Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|---|
| SPCSEND | 289 | 290 | PH5:33f.Spec-how often send results of consultation |
| SELFREF | 291 | 292 | PH5:33g.How oftn are new pat you see self-referred? |
| NOTREFS | 293 | 294 | PH5:34a.Unable obtained:Referrals high quality spec |
| NOTHOSP | 295 | 296 | PH5:34b.Unable obtained:Non-emergency hosp admsson |
| NOTOUTP | 297 | 298 | PH5:34c.Unable obtained:Hi qual output mental srvc |
| NOTINTRP | 299 | 300 | PH5:34d.Unable obtained:Interpreter services |
| FORMLRY | 301 | 303 | PH5:35.Pct of pats have RX covrge incl formulary? |
| GENERIC | 304 | 305 | PH5:36a.How often do you prescribe a generic RX |
| DIAGCST | 306 | 307 | PH5:36b.If not sure, cnsdr OOP cst in decide test? |
| IOPTCST | 308 | 309 | PH5:36c.Cnsdr OOP cst in decide outpt/inpat care? |
| QNOTIME | 310 | 311 | PH5:37a.Problem:Inadq time with pats during visit |
| QPRBPAY | 312 | 313 | PH5:37b.Problem:Patient unable to pay needed care |
| QINSREJ | 314 | 315 | PH5:37c.Problem:Insurance rejects care decision |
| QNOSPEC | 316 | 317 | PH5:37d.Problem:Lack of qualified spec in area |
| QNOREPT | 318 | 319 | PH5:37e.Problem:Not getting timely rpt from oth dr |
| QPRBCOM | 320 | 321 | PH5:37f.Problem:Comm difficulties due to language |
| QNONCMP | 322 | 323 | PH5:37g.Problm:Pat non-compliance w/ trtmnt recomd |
| QERRHSP | 324 | 325 | PH5:37h.Problem:Medical errors in hospitals |
| NWMCARE | 326 | 327 | PH5:38.Accept new Medicare patients |
| MRBILL | 328 | 329 | PH5:38a.No accept Mcare:billing requirement |
| MRAUDIT | 330 | 331 | PH5:38a.No accept Mcare:concern about audit |
| MRREIMB | 332 | 333 | PH5:38a.No accept Mcare:inadequate reimb |
| MRNUFPT | 334 | 335 | PH5:38a.No accept Mcare:have enough patients |
| MRPTBUR | 336 | 337 | PH5:38a.No accept Mcare:Mcare pat high clin burdn |
| NWMCAID | 338 | 339 | PH5:39. Accept new Medicaid patients |
| MDBILL | 340 | 341 | PH5:39a.No accept Mcaid:billing requirement |
| MDDELAY | 342 | 343 | PH5:39a.No accept Mcaid:delayed reimbursement |
| MDREIMB | 344 | 345 | PH5:39a.No accept Mcaid:inadequate reimb |
| MDNUFPT | 346 | 347 | PH5:39a.No accept Mcaid:have enough patients |
| MDPTBUR | 348 | 349 | PH5:39a.No accept Mcaid:Mcaid pat high clin burdn |
| NWPRIV | 350 | 351 | PH5:40.Accept new privately insured |
| PMCAID | 352 | 354 | PH5:41_A.Pct revenue from Medicare |
| PMCAID | 355 | 357 | PH5:41_B.Pct revenue from Medicaid |
| PCAPREV | 358 | 360 | PH5:42.Pct revenue from capitated basis? |
| NMCCON | 361 | 362 | PH5:43.Num of managed care contracts |

Health Tracking Physician Survey Public Use File

2008 Data

Positional Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| MALWORRY | 363 | 364 | PH5:44.Concerned be involved malpractice in 10 yrs |
| MALDAILY | 365 | 366 | PH5:44.Pressured by threat of malpractice suits |
| MALTESTS | 367 | 368 | PH5:44.Order tests to avoid malpractice suits |
| MALCNSLT | 369 | 370 | PH5:44.Ask consultant to reduce risk of being sued |
| MALCRISK | 371 | 372 | PH5:44.Rely technology to avoid malpractice suits |
| LABOWN | 373 | 374 | PH5:45a_1.Practice own/lease equipmnt: Lab testing |
| XRAYOWN | 375 | 376 | PH5:45b_1.Practice own or lease equipment: X-rays |
| IMAGOWN | 377 | 378 | PH5:45c_1.Practice own/lease equipment:Oth imaging |
| NIVOWN | 379 | 380 | PH5:45d_1.Practice own/lease: Non-invasive testing |
| IVPROWN | 381 | 382 | PH5:45e_1.Practice own/lease: Invasive procedures |
| OWNHSP | 383 | 384 | PH5:47.Main practice own(fully/in part) a hosptal? |
| COMPTYP | 385 | 386 | PH5:49.Method describes your basic compensation? |
| BONUSR | 387 | 388 | PH5:50.Eligible for bonus or incentive plan? |
| SPROD | 389 | 390 | PH5:51a_1.Own productivity affects compensation |
| IMPPROD | 391 | 392 | PH5:51a_2.Imprtant for your comp: own productivity |
| SSAT | 393 | 394 | PH5:51b_1.Satisfaction surveys affcts compensation |
| IMPSAT | 395 | 396 | PH5:51b_2.Imprtant for your comp:Satisfaction srvy |
| SQUAL | 397 | 398 | PH5:51c_1.Quality measures affects compensation |
| IMPQUAL | 399 | 400 | PH5:51c_2.Important for your comp:Quality measures |
| SPROF | 401 | 402 | PH5:51d_1.Profiling results affects compensation |
| IMPPROF | 403 | 404 | PH5:51d_2.Imprtant for your comp:Profiling results |
| SPERF | 405 | 406 | PH5:51e_1.Practice performance affect compensation |
| IMPPERF | 407 | 408 | PH5:51e_2.Important for comp: Practice performance |
| FREEFD | 409 | 410 | PH5:52a.From drug companies:Free food/beverages? |
| FREERX | 411 | 412 | PH5:52b.From drug companies:Free drug samples? |
| HNSPEAK | 413 | 414 | PH5:52c.From drug companies:Honoraria for speakng? |
| HNSRVY | 415 | 416 | PH5:52d.From drug companies:Honoraria in surveys? |
| PYCNSLT | 417 | 418 | PH5:52e.From drug companies:Paymnt consulting svc? |
| CSTTRVL | 419 | 420 | PH5:52g.From drug companies:travel to meeting cst? |
| CMECRDT | 421 | 422 | PH5:52j.Frm drug companies:Adm to conf CME credits |
| GFTOTHX | 423 | 424 | PH5:CV:Othr compensation from drug companies |
| MRELCMPX | 425 | 426 | PH5:53.Total value received from drug companies |
| INCCAT | 427 | 428 | PH5:54.Net income from practice of medicine, catg |
| INCPROD | 429 | 430 | PH5:55.Pct net income based on your productivity? |
| RACETHX | 431 | 432 | PH5:CV:Race/ethnicity |

Health Tracking Physician Survey Public Use File
2008 Data
Positional Listing of Variables

| Variable | Start | End | Description |
|-----------------|--------------|------------|--|
| ADM_PAT | 433 | 434 | PH5:60.Flag for not admitting patients |
| WEIGHT | 435 | 444 | PH5:CV:Analysis Weight |

Health Tracking Physician Survey Public Use File

2008 Data

Survey Administration Variables

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PHYSIDX | Numeric | 6.0 | 1 | 6 |

Question: N/A

Description: Unique identifier for each physician.

| Value | Count | Cum | Percent | CumPct |
|---------------|-------|-------|---------|--------|
| 500001-504720 | 4,720 | 4,720 | 100.0 | 100.0 |

| | | | | |
|---------------|---------|-----|---|---|
| BIRTHX | Numeric | 2.0 | 7 | 8 |
|---------------|---------|-----|---|---|

Question: N/A

Description: Year of birth. This information was obtained from the American Medical Association (AMA). For confidentiality reasons, this is a categorical variable which groups years together into approximate 5 year intervals. Years before 1941 were bottom coded (BIRTHX=1), and years after 1970 were top coded (BIRTHX=8).

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|-------|---------|--------|
| 1: 1940 or earlier | 292 | 292 | 6.2 | 6.2 |
| 2: 1941-1945 | 335 | 627 | 7.1 | 13.3 |
| 3: 1946-1950 | 571 | 1,198 | 12.1 | 25.4 |
| 4: 1951-1955 | 795 | 1,993 | 16.8 | 42.2 |
| 5: 1956-1960 | 815 | 2,808 | 17.3 | 59.5 |
| 6: 1961-1965 | 735 | 3,543 | 15.6 | 75.1 |
| 7: 1966-1970 | 693 | 4,236 | 14.7 | 89.7 |
| 8: 1971 or later | 484 | 4,720 | 10.3 | 100.0 |

| | | | | |
|---------------|---------|-----|---|----|
| GENDER | Numeric | 2.0 | 9 | 10 |
|---------------|---------|-----|---|----|

Question: N/A

Description: Gender. This information was obtained from the American Medical Association (AMA).

| Value | Count | Cum | Percent | CumPct |
|-----------|-------|-------|---------|--------|
| 1: Male | 3,470 | 3,470 | 73.5 | 73.5 |
| 2: Female | 1,250 | 4,720 | 26.5 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Satisfaction with Medicine

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| RCARSAT | Numeric | 2.0 | 11 | 12 |

Question: Q1

Thinking very generally about your satisfaction with your overall career in medicine, would you say that you are currently very dissatisfied, somewhat dissatisfied, neither satisfied nor dissatisfied, somewhat satisfied, or very satisfied?

| Value | Count | Cum | Percent | CumPct |
|---------------------------------------|-------|-------|---------|--------|
| 1: Very dissatisfied | 176 | 176 | 3.7 | 3.7 |
| 2: Somewhat dissatisfied | 502 | 678 | 10.6 | 14.4 |
| 3: Neither satisfied nor dissatisfied | 174 | 852 | 3.7 | 18.1 |
| 4: Somewhat satisfied | 1,991 | 2,843 | 42.2 | 60.2 |
| 5: Very satisfied | 1,834 | 4,677 | 38.9 | 99.1 |
| -9: Not Ascertained | 43 | 4,720 | 0.9 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Characteristics

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| YRBGNX | Numeric | 2.0 | 13 | 14 |

Question: Q2

In what year did you begin medical practice after completing your undergraduate and graduate medical training?

Description: Year physician started practicing medicine. For confidentiality reasons, this is a categorical variable which groups years together into approximate 5 years intervals. Years before 1976 were bottom coded (YRBGNX=1), and years 2005 or later were top coded (YRBGNX=8).

| Value | Count | Cum | Percent | CumPct |
|--------------------|-------|-------|---------|--------|
| 1: 1975 or earlier | 464 | 464 | 9.8 | 9.8 |
| 2: 1976-1980 | 486 | 950 | 10.3 | 20.1 |
| 3: 1981-1985 | 662 | 1,612 | 14.0 | 34.2 |
| 4: 1986-1990 | 724 | 2,336 | 15.3 | 49.5 |
| 5: 1991-1995 | 692 | 3,028 | 14.7 | 64.2 |
| 6: 1996-2000 | 845 | 3,873 | 17.9 | 82.1 |
| 7: 2001-2004 | 609 | 4,482 | 12.9 | 95.0 |
| 8: 2005 or later | 238 | 4,720 | 5.0 | 100.0 |

| | | | | |
|------------|---------|-----|----|----|
| PCP | Numeric | 2.0 | 15 | 16 |
|------------|---------|-----|----|----|

Question: N/A

Description: A flag that indicates the physician spends most of his/her patient care time in a primary care specialty.

| Value | Count | Cum | Percent | CumPct |
|------------|-------|-------|---------|--------|
| 0: Not PCP | 2,830 | 2,830 | 60.0 | 60.0 |
| 1: PCP | 1,890 | 4,720 | 40.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Characteristics

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| SPEC | Numeric | 2.0 | 17 | 18 |

Question: N/A

Description: Categorizes physician into one of seven specialty groups.

| Value | Count | Cum | Percent | CumPct |
|----------------------------|-------|-------|---------|--------|
| 1: Internal Medicine | 634 | 634 | 13.4 | 13.4 |
| 2: Family/General Practice | 829 | 1,463 | 17.6 | 31.0 |
| 3: Pediatrics | 427 | 1,890 | 9.0 | 40.0 |
| 4: Medical Specialties | 1,301 | 3,191 | 27.6 | 67.6 |
| 5: Surgical Specialties | 902 | 4,093 | 19.1 | 86.7 |
| 6: Psychiatry | 314 | 4,407 | 6.7 | 93.4 |
| 7: ObGyn | 313 | 4,720 | 6.6 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| BDCTPSP | Numeric | 2.0 | 19 | 20 |
|----------------|---------|-----|----|----|

Question: Q4

Are you board-certified in your primary specialty?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 468 | 468 | 9.9 | 9.9 |
| 1: Yes | 4,228 | 4,696 | 89.6 | 99.5 |
| -9: Not Ascertained | 24 | 4,720 | 0.5 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| PRCTYPE | Numeric | 2.0 | 21 | 22 |
|----------------|---------|-----|----|----|

Question: N/A

Description: Physician's practice type is categorized into one of six classifications.

| Value | Count | Cum | Percent | CumPct |
|-------------------|-------|-------|---------|--------|
| 1: Solo/2 phys | 1,566 | 1,566 | 33.2 | 33.2 |
| 2: Group >=3 phys | 1,859 | 3,425 | 39.4 | 72.6 |
| 3: HMO | 161 | 3,586 | 3.4 | 76.0 |
| 4: Medical School | 341 | 3,927 | 7.2 | 83.2 |
| 5: Hospital-based | 603 | 4,530 | 12.8 | 96.0 |
| 6: Other | 190 | 4,720 | 4.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Characteristics

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| OWNPR | Numeric | 2.0 | 23 | 24 |

Question: Q6

This question is about your main practice, that is, the business or organization that compensates you. In your main practice, are you a full owner, a part owner (e.g., with one or more other physicians), an employee with no ownership, or an independent contractor?

| Value | Count | Cum | Percent | CumPct |
|---------------------------|-------|-------|---------|--------|
| 1: Full owner | 1,442 | 1,442 | 30.6 | 30.6 |
| 2: Part owner | 1,246 | 2,688 | 26.4 | 56.9 |
| 3: Employee | 1,810 | 4,498 | 38.3 | 95.3 |
| 4: Independent contractor | 222 | 4,720 | 4.7 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| PHYSOWN | Numeric | 2.0 | 25 | 26 |
|----------------|---------|-----|----|----|

Question: Q6a_1

If you are a part owner or employee, do any of the following have an ownership interest in your main practice? Check all that apply: Other physician(s) in the practice.

Universe: Physicians who are part owner or employee (OWNPR=2,3).

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|-------|---------|--------|
| 0: No | 1,459 | 1,459 | 30.9 | 30.9 |
| 1: Yes | 1,597 | 3,056 | 33.8 | 64.7 |
| -1: Inapplicable | 1,664 | 4,720 | 35.3 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| HMSOWNX | Numeric | 2.0 | 27 | 28 |
|----------------|---------|-----|----|----|

Question: N/A

Description: This variable indicates that only a hospital, a medical school, or a hospital and a medical school have an ownership interest in your main practice. This variable was constructed from question 6a.

Universe: Physicians who are part owner or employee (OWNPR=2,3).

| Value | Count | Cum | Percent | CumPct |
|--|-------|-------|---------|--------|
| 0: Not solely a hosp or medical school | 1,938 | 1,938 | 41.1 | 41.1 |
| 1: Solely a hosp and/or medical school | 1,118 | 3,056 | 23.7 | 64.7 |
| -1: Inapplicable | 1,664 | 4,720 | 35.3 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Characteristics

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| OTHOWNX | Numeric | 2.0 | 29 | 30 |

Question: N/A

Description: This variable indicates some ownership interest in your main practice, other than the physicians in the practice, and HMSOWNX=0. This variable was constructed from question 6a.

Universe: Physicians who are part owner or employee (OWNPR=2,3).

| Value | Count | Cum | Percent | CumPct |
|--------------------------------|-------|-------|---------|--------|
| 0: No other ownership interest | 2,656 | 2,656 | 56.3 | 56.3 |
| 1: Other ownership interest | 400 | 3,056 | 8.5 | 64.7 |
| -1: Inapplicable | 1,664 | 4,720 | 35.3 | 100.0 |

| | | | | |
|---------------|---------|-----|----|----|
| NPHYSX | Numeric | 3.0 | 31 | 33 |
|---------------|---------|-----|----|----|

Question: Q7

Description: This variable indicates number of physicians in your main practice. Top coded at 101.

Universe: Excludes independent contractor (Q6=4).

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|-------|---------|--------|
| 1 | 1,136 | 1,136 | 24.1 | 24.1 |
| 2-3 | 761 | 1,897 | 16.1 | 40.2 |
| 4-10 | 1,151 | 3,048 | 24.4 | 64.6 |
| 11-50 | 777 | 3,825 | 16.5 | 81.0 |
| 51-100 | 129 | 3,954 | 2.7 | 83.8 |
| 101 (top code) | 544 | 4,498 | 11.5 | 95.3 |
| -1: Inapplicable | 222 | 4,720 | 4.7 | 100.0 |

| | | | | |
|---------------|---------|-----|----|----|
| INCENT | Numeric | 2.0 | 34 | 35 |
|---------------|---------|-----|----|----|

Question: Q8

On balance, do the overall personal financial incentives in your practice favor reducing services to individual patients, favor expanding services to individual patients, or favor neither?

| Value | Count | Cum | Percent | CumPct |
|-----------------------|-------|-------|---------|--------|
| 1: Reducing services | 522 | 522 | 11.1 | 11.1 |
| 2: Expanding services | 1,669 | 2,191 | 35.4 | 46.4 |
| 3: Favor neither | 2,482 | 4,673 | 52.6 | 99.0 |
| -9: Not Ascertained | 43 | 4,716 | 0.9 | 99.9 |
| -8: Don't Know | 4 | 4,720 | 0.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Characteristics

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| COMPETE | Numeric | 2.0 | 36 | 37 |

Question: Q9

Thinking about your practice specifically, how would you describe the competitive situation your practice faces?

| Value | Count | Cum | Percent | CumPct |
|---------------------------|-------|-------|---------|--------|
| 1: Not at all competitive | 1,165 | 1,165 | 24.7 | 24.7 |
| 2: Somewhat competitive | 2,260 | 3,425 | 47.9 | 72.6 |
| 3: Very competitive | 1,280 | 4,705 | 27.1 | 99.7 |
| -9: Not Ascertained | 15 | 4,720 | 0.3 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Hours Worked and Patient Visits

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| WKSWRKX | Numeric | 2.0 | 38 | 39 |

Question: Q10

Approximately how many weeks did you practice medicine in 2006?

Description: This variable was bottom coded at 40.

| Value | Count | Cum | Percent | CumPct |
|------------------|-------|-------|---------|--------|
| 40 (bottom code) | 340 | 340 | 7.2 | 7.2 |
| 41-52 | 4,380 | 4,720 | 92.8 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| HRSMEDX | Numeric | 2.0 | 40 | 41 |
|----------------|---------|-----|----|----|

Question: Q11c

During your LAST COMPLETE WEEK OF WORK, approximately how many hours did you spend in all medically-related activities? c. Total hours in medically-related activities

Description: There are 226 cases that were missing in the raw data and either imputed only or imputed/edited. An additional 699 cases were edited before the imputation. Because of the high degree of editing, please exercise caution in using this variable. This variable was top coded at 80.

| Value | Count | Cum | Percent | CumPct |
|---------------|-------|-------|---------|--------|
| 0-39 | 859 | 859 | 18.2 | 18.2 |
| 40-49 | 1,218 | 2,077 | 25.8 | 44.0 |
| 50-59 | 1,205 | 3,282 | 25.5 | 69.5 |
| 60-79 | 1,137 | 4,419 | 24.1 | 93.6 |
| 80 (top code) | 301 | 4,720 | 6.4 | 100.0 |

| | | | | |
|-----------------|---------|-----|----|----|
| OFFCOPVX | Numeric | 3.0 | 42 | 44 |
|-----------------|---------|-----|----|----|

Question: Q12a

During your LAST COMPLETE WEEK OF WORK, how many patient visits did you personally have in each of the following settings? Please count as one visit each time you saw a patient. Visits in the office and out-patient clinics.

Description: This variable was top coded at 150 visits.

| Value | Count | Cum | Percent | CumPct |
|----------------|-------|-------|---------|--------|
| 0 | 280 | 280 | 5.9 | 5.9 |
| 1-25 | 486 | 766 | 10.3 | 16.2 |
| 26-50 | 1,012 | 1,778 | 21.4 | 37.7 |
| 51-75 | 853 | 2,631 | 18.1 | 55.7 |
| 76-100 | 1,448 | 4,079 | 30.7 | 86.4 |
| 101-149 | 391 | 4,470 | 8.3 | 94.7 |
| 150 (top code) | 250 | 4,720 | 5.3 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Hours Worked and Patient Visits

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| HOSPVX | Numeric | 2.0 | 45 | 46 |

Question: Q12b

During your LAST COMPLETE WEEK OF WORK, how many patient visits did you personally have in each of the following settings? Please count as one visit each time you saw a patient. Visits on hospital rounds.

Description: This variable was top coded at 70.

| Value | Count | Cum | Percent | CumPct |
|---------------|-------|-------|---------|--------|
| 0 | 1,936 | 1,936 | 41.0 | 41.0 |
| 1-10 | 1,205 | 3,141 | 25.5 | 66.5 |
| 11-20 | 600 | 3,741 | 12.7 | 79.3 |
| 21-30 | 312 | 4,053 | 6.6 | 85.9 |
| 31-40 | 170 | 4,223 | 3.6 | 89.5 |
| 41-69 | 237 | 4,460 | 5.0 | 94.5 |
| 70 (top code) | 260 | 4,720 | 5.5 | 100.0 |

| | | | | |
|-----------------|---------|-----|----|----|
| NURSHMVX | Numeric | 2.0 | 47 | 48 |
|-----------------|---------|-----|----|----|

Question: Q12c

During your LAST COMPLETE WEEK OF WORK, how many patient visits did you personally have in each of the following settings? Please count as one visit each time you saw a patient. Visits in nursing homes and patients' homes.

Description: This variable was top coded at 10 visits.

| Value | Count | Cum | Percent | CumPct |
|---------------|-------|-------|---------|--------|
| 0 | 4,153 | 4,153 | 88.0 | 88.0 |
| 1-9 | 294 | 4,447 | 6.2 | 94.2 |
| 10 (top code) | 273 | 4,720 | 5.8 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Hours Worked and Patient Visits

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| TMEMLPT | Numeric | 2.0 | 49 | 50 |

Question: Q13a

During a TYPICAL WORK DAY, how much time do you spend on each of the following activities? a. E-mail communications with patients and their families.

| Value | Count | Cum | Percent | CumPct |
|--------------------------|-------|-------|---------|--------|
| 0: None | 3,481 | 3,481 | 73.8 | 73.8 |
| 1: Less than a half hour | 848 | 4,329 | 18.0 | 91.7 |
| 2: 1/2 to 1 hour | 260 | 4,589 | 5.5 | 97.2 |
| 3: 1-2 hours | 75 | 4,664 | 1.6 | 98.8 |
| 4: More than 2 hours | 28 | 4,692 | 0.6 | 99.4 |
| -9: Not Ascertained | 28 | 4,720 | 0.6 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| TMPHNPT | Numeric | 2.0 | 51 | 52 |
|----------------|---------|-----|----|----|

Question: Q13b

During a TYPICAL WORK DAY, how much time do you spend on each of the following activities? b. Telephone conversations with patients and their families.

| Value | Count | Cum | Percent | CumPct |
|--------------------------|-------|-------|---------|--------|
| 0: None | 174 | 174 | 3.7 | 3.7 |
| 1: Less than a half hour | 1,449 | 1,623 | 30.7 | 34.4 |
| 2: 1/2 to 1 hour | 1,869 | 3,492 | 39.6 | 74.0 |
| 3: 1-2 hours | 845 | 4,337 | 17.9 | 91.9 |
| 4: More than 2 hours | 372 | 4,709 | 7.9 | 99.8 |
| -9: Not Ascertained | 11 | 4,720 | 0.2 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| TMEMLDR | Numeric | 2.0 | 53 | 54 |
|----------------|---------|-----|----|----|

Question: Q13c

During a TYPICAL WORK DAY, how much time do you spend on each of the following activities? c. E-mail communications with physicians and other clinicians.

| Value | Count | Cum | Percent | CumPct |
|--------------------------|-------|-------|---------|--------|
| 0: None | 2,154 | 2,154 | 45.6 | 45.6 |
| 1: Less than a half hour | 1,457 | 3,611 | 30.9 | 76.5 |
| 2: 1/2 to 1 hour | 689 | 4,300 | 14.6 | 91.1 |
| 3: 1-2 hours | 265 | 4,565 | 5.6 | 96.7 |
| 4: More than 2 hours | 103 | 4,668 | 2.2 | 98.9 |
| -9: Not Ascertained | 52 | 4,720 | 1.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Hours Worked and Patient Visits

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| TMPHNDR | Numeric | 2.0 | 55 | 56 |

Question: Q13d

During a TYPICAL WORK DAY, how much time do you spend on each of the following activities? d. Telephone conversations with physicians and other clinicians.

| Value | Count | Cum | Percent | CumPct |
|--------------------------|-------|-------|---------|--------|
| 0: None | 79 | 79 | 1.7 | 1.7 |
| 1: Less than a half hour | 2,025 | 2,104 | 42.9 | 44.6 |
| 2: 1/2 to 1 hour | 1,704 | 3,808 | 36.1 | 80.7 |
| 3: 1-2 hours | 642 | 4,450 | 13.6 | 94.3 |
| 4: More than 2 hours | 260 | 4,710 | 5.5 | 99.8 |
| -9: Not Ascertained | 10 | 4,720 | 0.2 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| RBEMLPT | Numeric | 2.0 | 57 | 58 |
|----------------|---------|-----|----|----|

Question: Q14a

Is your practice reimbursed by any health insurance plans for these activities? a. E-mail communications with patients and their families.

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Reimbursed | 45 | 45 | 1.0 | 1.0 |
| 2: Not Reimbursed | 4,087 | 4,132 | 86.6 | 87.5 |
| 3: Unsure if reimbursed | 500 | 4,632 | 10.6 | 98.1 |
| -9: Not Ascertained | 88 | 4,720 | 1.9 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| RBPHNPT | Numeric | 2.0 | 59 | 60 |
|----------------|---------|-----|----|----|

Question: Q14b

Is your practice reimbursed by any health insurance plans for these activities? b. Telephone conversations with patients and their families.

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Reimbursed | 94 | 94 | 2.0 | 2.0 |
| 2: Not Reimbursed | 4,204 | 4,298 | 89.1 | 91.1 |
| 3: Unsure if reimbursed | 391 | 4,689 | 8.3 | 99.3 |
| -9: Not Ascertained | 31 | 4,720 | 0.7 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Hours Worked and Patient Visits

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| RBEMLDR | Numeric | 2.0 | 61 | 62 |

Question: Q14c

Is your practice reimbursed by any health insurance plans for these activities? c. E-mail communications with physicians and other clinicians.

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Reimbursed | 33 | 33 | 0.7 | 0.7 |
| 2: Not Reimbursed | 4,182 | 4,215 | 88.6 | 89.3 |
| 3: Unsure if reimbursed | 421 | 4,636 | 8.9 | 98.2 |
| -9: Not Ascertained | 84 | 4,720 | 1.8 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| RBPHNDR | Numeric | 2.0 | 63 | 64 |
|----------------|---------|-----|----|----|

Question: Q14d

Is your practice reimbursed by any health insurance plans for these activities? d. Telephone conversations with physicians and other clinicians.

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Reimbursed | 83 | 83 | 1.8 | 1.8 |
| 2: Not Reimbursed | 4,241 | 4,324 | 89.9 | 91.6 |
| 3: Unsure if reimbursed | 372 | 4,696 | 7.9 | 99.5 |
| -9: Not Ascertained | 24 | 4,720 | 0.5 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| HRFREEX | Numeric | 2.0 | 65 | 66 |
|----------------|---------|-----|----|----|

Question: Q15

During the LAST MONTH, how many hours, if any, did you spend providing charity care? By charity care, we mean that you charged either no fee or a reduced fee because of the financial need of the patient.

Description: This variable was top coded at 40.

| Value | Count | Cum | Percent | CumPct |
|---------------|-------|-------|---------|--------|
| 0 | 1,913 | 1,913 | 40.5 | 40.5 |
| 1-4 | 1,222 | 3,135 | 25.9 | 66.4 |
| 5-9 | 613 | 3,748 | 13.0 | 79.4 |
| 10-39 | 854 | 4,602 | 18.1 | 97.5 |
| 40 (top code) | 118 | 4,720 | 2.5 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Hours Worked and Patient Visits

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| LOCFREEX | Numeric | 2.0 | 67 | 68 |

Question: Q15a

Where do you typically provide charity care?

Description: For confidentiality reasons, responses of In other clinic, Somewhere else, and Foreign were combined into one category called Other.

Universe: All physicians who provided at least one hour of charity care in last month.

| Value | Count | Cum | Percent | CumPct |
|--------------------------|-------|-------|---------|--------|
| 1: In your main practice | 1,974 | 1,974 | 41.8 | 41.8 |
| 2: On-call or hosp ER | 496 | 2,470 | 10.5 | 52.3 |
| 3: Other | 285 | 2,755 | 6.0 | 58.4 |
| -9: Not Ascertained | 52 | 2,807 | 1.1 | 59.5 |
| -1: Inapplicable | 1,913 | 4,720 | 40.5 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Patient Characteristics

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| BLCKPTX | Numeric | 2.0 | 69 | 70 |

Question: Q16a

About what percentage of your patients belong to the following groups? a. African-American or Black.

Description: This variable was top coded at 51.

| Value | Count | Cum | Percent | CumPct |
|---------------|-------|-------|---------|--------|
| 0 | 678 | 678 | 14.4 | 14.4 |
| 1-25 | 3,093 | 3,771 | 65.5 | 79.9 |
| 26-50 | 748 | 4,519 | 15.8 | 95.7 |
| 51 (top code) | 201 | 4,720 | 4.3 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| HISPPTX | Numeric | 2.0 | 71 | 72 |
|----------------|---------|-----|----|----|

Question: Q16b

About what percentage of your patients belong to the following groups? b. Hispanic or Latino.

Description: This variable was top coded at 51.

| Value | Count | Cum | Percent | CumPct |
|---------------|-------|-------|---------|--------|
| 0 | 639 | 639 | 13.5 | 13.5 |
| 1-25 | 3,297 | 3,936 | 69.9 | 83.4 |
| 26-50 | 556 | 4,492 | 11.8 | 95.2 |
| 51 (top code) | 228 | 4,720 | 4.8 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| ASIAPTX | Numeric | 2.0 | 73 | 74 |
|----------------|---------|-----|----|----|

Question: Q16c

About what percentage of your patients belong to the following groups? c. Asian or Pacific Islander.

Description: This variable was top coded at 26.

| Value | Count | Cum | Percent | CumPct |
|---------------|-------|-------|---------|--------|
| 0 | 1,708 | 1,708 | 36.2 | 36.2 |
| 1-25 | 2,888 | 4,596 | 61.2 | 97.4 |
| 26 (top code) | 124 | 4,720 | 2.6 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Patient Characteristics

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| CHRNPT | Numeric | 3.0 | 75 | 77 |

Question: Q16e

About what percentage of your patients belong to the following groups? e. Has a chronic medical condition.

| Value | Count | Cum | Percent | CumPct |
|--------|-------|-------|---------|--------|
| 0 | 210 | 210 | 4.4 | 4.4 |
| 1-25 | 1,070 | 1,280 | 22.7 | 27.1 |
| 26-50 | 1,105 | 2,385 | 23.4 | 50.5 |
| 51-75 | 981 | 3,366 | 20.8 | 71.3 |
| 76-100 | 1,354 | 4,720 | 28.7 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| LANGPTX | Numeric | 2.0 | 78 | 79 |
|----------------|---------|-----|----|----|

Question: Q17

About what percentage of your patients do you have a hard time speaking with or understanding because you speak different languages?

Description: The categorical variable was constructed from the continuous range of responses to the original survey question Q17.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: 25% or less | 4,489 | 4,489 | 95.1 | 95.1 |
| 2: More than 25% | 211 | 4,700 | 4.5 | 99.6 |
| -9: Not Ascertained | 20 | 4,720 | 0.4 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| INTPRTR | Numeric | 2.0 | 80 | 81 |
|----------------|---------|-----|----|----|

Question: Q18

Does your practice provide interpreter services for any non-English languages?

| Value | Count | Cum | Percent | CumPct |
|-------------------------------------|-------|-------|---------|--------|
| 0: No | 2,038 | 2,038 | 43.2 | 43.2 |
| 1: Yes | 2,505 | 4,543 | 53.1 | 96.3 |
| 2: No non-English speaking patients | 167 | 4,710 | 3.5 | 99.8 |
| -9: Not Ascertained | 10 | 4,720 | 0.2 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Patient Characteristics

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| I LANG | Numeric | 2.0 | 82 | 83 |

Question: N/A

Description: Constructed variable indicating the number of languages: No languages, 1, 2, 3+ languages, interpreter service, no patients who speak foreign languages.

| Value | Count | Cum | Percent | CumPct |
|----------------------------------|-------|-------|---------|--------|
| 1: 0 language | 2,038 | 2,038 | 43.2 | 43.2 |
| 2: 1 language | 1,109 | 3,147 | 23.5 | 66.7 |
| 3: 2 languages | 401 | 3,548 | 8.5 | 75.2 |
| 4: 3+ languages | 603 | 4,151 | 12.8 | 87.9 |
| 5: Interpreter service | 380 | 4,531 | 8.1 | 96.0 |
| 6: no patient speak foreign lang | 167 | 4,698 | 3.5 | 99.5 |
| -9: Not Ascertained | 22 | 4,720 | 0.5 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| EDUMNPT | Numeric | 2.0 | 84 | 85 |
|----------------|---------|-----|----|----|

Question: Q19

Have you ever attended any professional meetings, workshops, or Continuing Medical Education activities that discuss improving the health of minority patients (such as cultural competence training)?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,814 | 2,814 | 59.6 | 59.6 |
| 1: Yes | 1,861 | 4,675 | 39.4 | 99.0 |
| -9: Not Ascertained | 45 | 4,720 | 1.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| IT_TRT | Numeric | 2.0 | 86 | 87 |

Question: Q20a_CP

Is Information Technology available in YOUR PRACTICE for obtaining information about treatment alternatives or recommended guidelines?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 766 | 766 | 16.2 | 16.2 |
| 1: Yes | 3,911 | 4,677 | 82.9 | 99.1 |
| -9: Not Ascertained | 43 | 4,720 | 0.9 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| IT_TRTX | Numeric | 2.0 | 88 | 89 |
|----------------|---------|-----|----|----|

Question: Q20a_CP

IF YES, How often do YOU PERSONALLY use the technology to obtain information about treatment alternatives or recommended guidelines?

Universe: All physicians who responded "Yes" to Q20a_CP (IT_TRT=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 1,777 | 1,777 | 37.6 | 37.6 |
| 2: Occasionally | 1,989 | 3,766 | 42.1 | 79.8 |
| 3: Not at all | 118 | 3,884 | 2.5 | 82.3 |
| -9: Not Ascertained | 27 | 3,911 | 0.6 | 82.9 |
| -1: Inapplicable | 809 | 4,720 | 17.1 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| IT_TRTU | Numeric | 2.0 | 90 | 91 |
|----------------|---------|-----|----|----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for obtaining information about treatment alternatives or recommended guidelines.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 766 | 766 | 16.2 | 16.2 |
| 2: IT available, but not used | 118 | 884 | 2.5 | 18.7 |
| 3: IT available and used | 3,766 | 4,650 | 79.8 | 98.5 |
| -9: Not Ascertained | 70 | 4,720 | 1.5 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITDCSN | Numeric | 2.0 | 92 | 93 |

Question: Q20b_CP

Is Information Technology available in YOUR PRACTICE for obtaining up-to-date decision support for diagnostic and treatment recommendations based on data about your patients and practice guidelines?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,451 | 1,451 | 30.7 | 30.7 |
| 1: Yes | 3,193 | 4,644 | 67.6 | 98.4 |
| -9: Not Ascertained | 75 | 4,719 | 1.6 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| ITDCSNX | Numeric | 2.0 | 94 | 95 |
|----------------|---------|-----|----|----|

Question: Q20b_CP

IF YES, How often do YOU PERSONALLY use the technology to obtain up-to-date decision support for diagnostic and treatment recommendations based on data about your patients and practice guidelines?

Universe: All physicians who responded "Yes" to Q20b_CP (ITDCSN=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 1,348 | 1,348 | 28.6 | 28.6 |
| 2: Occasionally | 1,612 | 2,960 | 34.2 | 62.7 |
| 3: Not at all | 191 | 3,151 | 4.0 | 66.8 |
| -9: Not Ascertained | 42 | 3,193 | 0.9 | 67.6 |
| -1: Inapplicable | 1,527 | 4,720 | 32.4 | 100.0 |

| | | | | |
|----------------|---------|-----|----|----|
| ITDCSNU | Numeric | 2.0 | 96 | 97 |
|----------------|---------|-----|----|----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for obtaining up-to-date decision support for diagnostic and treatment recommendations based on data about your patients and practice guidelines.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 1,451 | 1,451 | 30.7 | 30.7 |
| 2: IT available, but not used | 191 | 1,642 | 4.0 | 34.8 |
| 3: IT available and used | 2,960 | 4,602 | 62.7 | 97.5 |
| -9: Not Ascertained | 117 | 4,719 | 2.5 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ITRMNDR | Numeric | 2.0 | 98 | 99 |

Question: Q20c_CP

Is Information Technology available in YOUR PRACTICE for generating reminders for clinicians about preventive services?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,947 | 2,947 | 62.4 | 62.4 |
| 1: Yes | 1,692 | 4,639 | 35.8 | 98.3 |
| -9: Not Ascertained | 81 | 4,720 | 1.7 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITRMNDRX | Numeric | 2.0 | 100 | 101 |
|-----------------|---------|-----|-----|-----|

Question: Q20c_CP

IF YES, How often do YOU PERSONALLY use the technology to generate reminders for clinicians about preventive services?

Universe: All physicians who responded "Yes" to Q20c_CP (ITRMNDR=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 666 | 666 | 14.1 | 14.1 |
| 2: Occasionally | 663 | 1,329 | 14.0 | 28.2 |
| 3: Not at all | 351 | 1,680 | 7.4 | 35.6 |
| -9: Not Ascertained | 12 | 1,692 | 0.3 | 35.8 |
| -1: Inapplicable | 3,028 | 4,720 | 64.2 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITRMNDRU | Numeric | 2.0 | 102 | 103 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for generating reminders for clinicians about preventive services.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 2,947 | 2,947 | 62.4 | 62.4 |
| 2: IT available, but not used | 351 | 3,298 | 7.4 | 69.9 |
| 3: IT available and used | 1,329 | 4,627 | 28.2 | 98.0 |
| -9: Not Ascertained | 93 | 4,720 | 2.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ITDRFUP | Numeric | 2.0 | 104 | 105 |

Question: Q20d_CP

Is Information Technology available in YOUR PRACTICE for generating reminders for clinicians about other needed patient follow-up?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,932 | 2,932 | 62.1 | 62.1 |
| 1: Yes | 1,685 | 4,617 | 35.7 | 97.8 |
| -9: Not Ascertained | 103 | 4,720 | 2.2 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITDRFUPX | Numeric | 2.0 | 106 | 107 |
|-----------------|---------|-----|-----|-----|

Question: Q20d_CP

IF YES, How often do YOU PERSONALLY use the technology to generate reminders for clinicians about other needed patient follow-up?

Universe: All physicians who responded "Yes" to Q20d_CP (ITDRFUP=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 834 | 834 | 17.7 | 17.7 |
| 2: Occasionally | 563 | 1,397 | 11.9 | 29.6 |
| 3: Not at all | 264 | 1,661 | 5.6 | 35.2 |
| -9: Not Ascertained | 24 | 1,685 | 0.5 | 35.7 |
| -1: Inapplicable | 3,035 | 4,720 | 64.3 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITDRFUPU | Numeric | 2.0 | 108 | 109 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for generating reminders for clinicians about other needed patient follow-up.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 2,932 | 2,932 | 62.1 | 62.1 |
| 2: IT available, but not used | 264 | 3,196 | 5.6 | 67.7 |
| 3: IT available and used | 1,397 | 4,593 | 29.6 | 97.3 |
| -9: Not Ascertained | 127 | 4,720 | 2.7 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ITRMNPT | Numeric | 2.0 | 110 | 111 |

Question: Q20e_CP

Is Information Technology available in YOUR PRACTICE for generating reminders to patients about preventive services?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,100 | 3,100 | 65.7 | 65.7 |
| 1: Yes | 1,529 | 4,629 | 32.4 | 98.1 |
| -9: Not Ascertained | 91 | 4,720 | 1.9 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITRMNPTX | Numeric | 2.0 | 112 | 113 |
|-----------------|---------|-----|-----|-----|

Question: Q20e_CP

IF YES, How often do YOU PERSONALLY use the technology to generate reminders to patients about preventive services?

Universe: All physicians who responded "Yes" to Q20e_CP (ITRMNPT=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 719 | 719 | 15.2 | 15.2 |
| 2: Occasionally | 497 | 1,216 | 10.5 | 25.8 |
| 3: Not at all | 291 | 1,507 | 6.2 | 31.9 |
| -9: Not Ascertained | 22 | 1,529 | 0.5 | 32.4 |
| -1: Inapplicable | 3,191 | 4,720 | 67.6 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITRMNPTU | Numeric | 2.0 | 114 | 115 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for generating reminders to patients about preventive services.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 3,100 | 3,100 | 65.7 | 65.7 |
| 2: IT available, but not used | 291 | 3,391 | 6.2 | 71.8 |
| 3: IT available and used | 1,216 | 4,607 | 25.8 | 97.6 |
| -9: Not Ascertained | 113 | 4,720 | 2.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITCOMM | Numeric | 2.0 | 116 | 117 |

Question: Q20f_CP

Is Information Technology available in YOUR PRACTICE for communicating about clinical issues with patients by e-mail?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,097 | 3,097 | 65.6 | 65.6 |
| 1: Yes | 1,527 | 4,624 | 32.4 | 98.0 |
| -9: Not Ascertained | 96 | 4,720 | 2.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITCOMMx | Numeric | 2.0 | 118 | 119 |
|----------------|---------|-----|-----|-----|

Question: Q20f_CP

IF YES, How often do YOU PERSONALLY use the technology to communicate about clinical issues with patients by e-mail?

Universe: All physicians who responded "Yes" to Q20f_CP (ITCOMM=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 283 | 283 | 6.0 | 6.0 |
| 2: Occasionally | 641 | 924 | 13.6 | 19.6 |
| 3: Not at all | 578 | 1,502 | 12.2 | 31.8 |
| -9: Not Ascertained | 25 | 1,527 | 0.5 | 32.4 |
| -1: Inapplicable | 3,193 | 4,720 | 67.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITCOMMU | Numeric | 2.0 | 120 | 121 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for communicating about clinical issues with patients by e-mail.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 3,097 | 3,097 | 65.6 | 65.6 |
| 2: IT available, but not used | 578 | 3,675 | 12.2 | 77.9 |
| 3: IT available and used | 924 | 4,599 | 19.6 | 97.4 |
| -9: Not Ascertained | 121 | 4,720 | 2.6 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ITNOTES | Numeric | 2.0 | 122 | 123 |

Question: Q20a_PI

Is Information Technology available in YOUR PRACTICE for accessing patient notes, medication lists, or problem lists?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,903 | 1,903 | 40.3 | 40.3 |
| 1: Yes | 2,758 | 4,661 | 58.4 | 98.8 |
| -9: Not Ascertained | 59 | 4,720 | 1.3 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITNOTESX | Numeric | 2.0 | 124 | 125 |
|-----------------|---------|-----|-----|-----|

Question: Q20a_PI

IF YES, How often do YOU PERSONALLY use the technology to access patient notes, medication lists, or problem lists?

Universe: All physicians who responded "Yes" to Q20a_PI (ITNOTES=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 2,334 | 2,334 | 49.4 | 49.4 |
| 2: Occasionally | 298 | 2,632 | 6.3 | 55.8 |
| 3: Not at all | 84 | 2,716 | 1.8 | 57.5 |
| -9: Not Ascertained | 42 | 2,758 | 0.9 | 58.4 |
| -1: Inapplicable | 1,962 | 4,720 | 41.6 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITNOTESU | Numeric | 2.0 | 126 | 127 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for accessing patient notes, medication lists, or problem lists.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 1,903 | 1,903 | 40.3 | 40.3 |
| 2: IT available, but not used | 84 | 1,987 | 1.8 | 42.1 |
| 3: IT available and used | 2,632 | 4,619 | 55.8 | 97.9 |
| -9: Not Ascertained | 101 | 4,720 | 2.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITTEST | Numeric | 2.0 | 128 | 129 |

Question: Q20b_PI

Is Information Technology available in YOUR PRACTICE for ordering laboratory, radiology, or other diagnostic tests?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,019 | 2,019 | 42.8 | 42.8 |
| 1: Yes | 2,639 | 4,658 | 55.9 | 98.7 |
| -9: Not Ascertained | 62 | 4,720 | 1.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITTESTX | Numeric | 2.0 | 130 | 131 |
|----------------|---------|-----|-----|-----|

Question: Q20b_PI

IF YES, How often do YOU PERSONALLY use the technology to order laboratory, radiology, or other diagnostic tests?

Universe: All physicians who responded "Yes" to Q20b_PI (ITTEST=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 2,103 | 2,103 | 44.6 | 44.6 |
| 2: Occasionally | 324 | 2,427 | 6.9 | 51.4 |
| 3: Not at all | 171 | 2,598 | 3.6 | 55.0 |
| -9: Not Ascertained | 41 | 2,639 | 0.9 | 55.9 |
| -1: Inapplicable | 2,081 | 4,720 | 44.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITTESTU | Numeric | 2.0 | 132 | 133 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for ordering laboratory, radiology, or other diagnostic tests.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 2,019 | 2,019 | 42.8 | 42.8 |
| 2: IT available, but not used | 171 | 2,190 | 3.6 | 46.4 |
| 3: IT available and used | 2,427 | 4,617 | 51.4 | 97.8 |
| -9: Not Ascertained | 103 | 4,720 | 2.2 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITRSLT | Numeric | 2.0 | 134 | 135 |

Question: Q20c_PI

Is Information Technology available in YOUR PRACTICE for viewing results of laboratory, radiology, or other diagnostic tests?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,012 | 1,012 | 21.4 | 21.4 |
| 1: Yes | 3,652 | 4,664 | 77.4 | 98.8 |
| -9: Not Ascertained | 56 | 4,720 | 1.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITRSLTX | Numeric | 2.0 | 136 | 137 |
|----------------|---------|-----|-----|-----|

Question: Q20c_PI

IF YES, How often do YOU PERSONALLY use the technology to view results of laboratory, radiology, or other diagnostic tests?

Universe: All physicians who responded "Yes" to Q20c_PI (ITRSLT=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 2,958 | 2,958 | 62.7 | 62.7 |
| 2: Occasionally | 543 | 3,501 | 11.5 | 74.2 |
| 3: Not at all | 101 | 3,602 | 2.1 | 76.3 |
| -9: Not Ascertained | 50 | 3,652 | 1.1 | 77.4 |
| -1: Inapplicable | 1,068 | 4,720 | 22.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITRSLTU | Numeric | 2.0 | 138 | 139 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for viewing results of laboratory, radiology, or other diagnostic tests.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 1,012 | 1,012 | 21.4 | 21.4 |
| 2: IT available, but not used | 101 | 1,113 | 2.1 | 23.6 |
| 3: IT available and used | 3,501 | 4,614 | 74.2 | 97.8 |
| -9: Not Ascertained | 106 | 4,720 | 2.2 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITCLIN | Numeric | 2.0 | 140 | 141 |

Question: Q20d_PI

Is Information Technology available in YOUR PRACTICE for exchanging clinical data and images with other physicians?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,420 | 2,420 | 51.3 | 51.3 |
| 1: Yes | 2,239 | 4,659 | 47.4 | 98.7 |
| -9: Not Ascertained | 61 | 4,720 | 1.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITCLINX | Numeric | 2.0 | 142 | 143 |
|----------------|---------|-----|-----|-----|

Question: Q20d_PI

IF YES, How often do YOU PERSONALLY use the technology to exchange clinical data and images with other physicians?

Universe: All physicians who responded "Yes" to Q20d_PI (ITCLIN=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 1,217 | 1,217 | 25.8 | 25.8 |
| 2: Occasionally | 795 | 2,012 | 16.8 | 42.6 |
| 3: Not at all | 188 | 2,200 | 4.0 | 46.6 |
| -9: Not Ascertained | 39 | 2,239 | 0.8 | 47.4 |
| -1: Inapplicable | 2,481 | 4,720 | 52.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITCLINU | Numeric | 2.0 | 144 | 145 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for exchanging clinical data and images with other physicians.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 2,420 | 2,420 | 51.3 | 51.3 |
| 2: IT available, but not used | 188 | 2,608 | 4.0 | 55.3 |
| 3: IT available and used | 2,012 | 4,620 | 42.6 | 97.9 |
| -9: Not Ascertained | 100 | 4,720 | 2.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITHOSP | Numeric | 2.0 | 146 | 147 |

Question: Q20e_PI

Is Information Technology available in YOUR PRACTICE for exchanging clinical data and images with hospitals and laboratories?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,448 | 2,448 | 51.9 | 51.9 |
| 1: Yes | 2,198 | 4,646 | 46.6 | 98.4 |
| -9: Not Ascertained | 73 | 4,719 | 1.5 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITHOSPX | Numeric | 2.0 | 148 | 149 |
|----------------|---------|-----|-----|-----|

Question: Q20e_PI

IF YES, How often do YOU PERSONALLY use the technology to exchange clinical data and images with hospitals and laboratories?

Universe: All physicians who responded "Yes" to Q20e_PI (ITHOSP=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 1,230 | 1,230 | 26.1 | 26.1 |
| 2: Occasionally | 698 | 1,928 | 14.8 | 40.8 |
| 3: Not at all | 230 | 2,158 | 4.9 | 45.7 |
| -9: Not Ascertained | 40 | 2,198 | 0.8 | 46.6 |
| -1: Inapplicable | 2,522 | 4,720 | 53.4 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITHOSPU | Numeric | 2.0 | 150 | 151 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for exchanging clinical data and images with hospitals and laboratories.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 2,448 | 2,448 | 51.9 | 51.9 |
| 2: IT available, but not used | 230 | 2,678 | 4.9 | 56.7 |
| 3: IT available and used | 1,928 | 4,606 | 40.8 | 97.6 |
| -9: Not Ascertained | 113 | 4,719 | 2.4 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITLANG | Numeric | 2.0 | 152 | 153 |

Question: Q20f_PI

Is Information Technology available in YOUR PRACTICE for accessing information on patients' preferred language?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,577 | 3,577 | 75.8 | 75.8 |
| 1: Yes | 1,045 | 4,622 | 22.1 | 97.9 |
| -9: Not Ascertained | 95 | 4,717 | 2.0 | 99.9 |
| -8: Don't Know | 3 | 4,720 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITLANGX | Numeric | 2.0 | 154 | 155 |
|----------------|---------|-----|-----|-----|

Question: Q20f_PI

IF YES, How often do YOU PERSONALLY use the technology to access information on patients' preferred language?

Universe: All physicians who responded "Yes" to Q20f_PI (ITLANG=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 328 | 328 | 6.9 | 6.9 |
| 2: Occasionally | 395 | 723 | 8.4 | 15.3 |
| 3: Not at all | 294 | 1,017 | 6.2 | 21.5 |
| -9: Not Ascertained | 28 | 1,045 | 0.6 | 22.1 |
| -1: Inapplicable | 3,675 | 4,720 | 77.9 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITLANGU | Numeric | 2.0 | 156 | 157 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for accessing information on patients' preferred language.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 3,577 | 3,577 | 75.8 | 75.8 |
| 2: IT available, but not used | 294 | 3,871 | 6.2 | 82.0 |
| 3: IT available and used | 723 | 4,594 | 15.3 | 97.3 |
| -9: Not Ascertained | 123 | 4,717 | 2.6 | 99.9 |
| -8: Don't Know | 3 | 4,720 | 0.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITDRUG | Numeric | 2.0 | 158 | 159 |

Question: Q20a_PD

Is Information Technology available in YOUR PRACTICE for obtaining information on potential patient drug interactions with other drugs, allergies, and/or patient conditions?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,314 | 1,314 | 27.8 | 27.8 |
| 1: Yes | 3,344 | 4,658 | 70.8 | 98.7 |
| -9: Not Ascertained | 61 | 4,719 | 1.3 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITDRUGX | Numeric | 2.0 | 160 | 161 |
|----------------|---------|-----|-----|-----|

Question: Q20a_PD

IF YES, How often do YOU PERSONALLY use the technology to obtain information on potential patient drug interactions with other drugs, allergies, and/or patient conditions?

Universe: All physicians who responded "Yes" to Q20a_PD (ITDRUG=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 1,974 | 1,974 | 41.8 | 41.8 |
| 2: Occasionally | 1,192 | 3,166 | 25.3 | 67.1 |
| 3: Not at all | 127 | 3,293 | 2.7 | 69.8 |
| -9: Not Ascertained | 51 | 3,344 | 1.1 | 70.8 |
| -1: Inapplicable | 1,376 | 4,720 | 29.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITDRUGU | Numeric | 2.0 | 162 | 163 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for obtaining information on potential patient drug interactions with other drugs, allergies, and/or patient conditions.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 1,314 | 1,314 | 27.8 | 27.8 |
| 2: IT available, but not used | 127 | 1,441 | 2.7 | 30.5 |
| 3: IT available and used | 3,166 | 4,607 | 67.1 | 97.6 |
| -9: Not Ascertained | 112 | 4,719 | 2.4 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| IT_FORM | Numeric | 2.0 | 164 | 165 |

Question: Q20b_PD

Is Information Technology available in YOUR PRACTICE for obtaining information on formularies?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,222 | 2,222 | 47.1 | 47.1 |
| 1: Yes | 2,428 | 4,650 | 51.4 | 98.5 |
| -9: Not Ascertained | 70 | 4,720 | 1.5 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| IT_FORMX | Numeric | 2.0 | 166 | 167 |
|-----------------|---------|-----|-----|-----|

Question: Q20b_PD

IF YES, How often do YOU PERSONALLY use the technology to obtain information on formularies?

Universe: All physicians who responded "Yes" to Q20b_PD (IT_FORM=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 957 | 957 | 20.3 | 20.3 |
| 2: Occasionally | 1,053 | 2,010 | 22.3 | 42.6 |
| 3: Not at all | 374 | 2,384 | 7.9 | 50.5 |
| -9: Not Ascertained | 44 | 2,428 | 0.9 | 51.4 |
| -1: Inapplicable | 2,292 | 4,720 | 48.6 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| IT_FORMU | Numeric | 2.0 | 168 | 169 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for obtaining information on formularies.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 2,222 | 2,222 | 47.1 | 47.1 |
| 2: IT available, but not used | 374 | 2,596 | 7.9 | 55.0 |
| 3: IT available and used | 2,010 | 4,606 | 42.6 | 97.6 |
| -9: Not Ascertained | 114 | 4,720 | 2.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ITPRESC | Numeric | 2.0 | 170 | 171 |

Question: Q20c_PD

Is Information Technology available in YOUR PRACTICE for writing prescriptions?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,626 | 2,626 | 55.6 | 55.6 |
| 1: Yes | 2,032 | 4,658 | 43.1 | 98.7 |
| -9: Not Ascertained | 61 | 4,719 | 1.3 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITPRESCX | Numeric | 2.0 | 172 | 173 |
|-----------------|---------|-----|-----|-----|

Question: Q20c_PD

IF YES, How often do YOU PERSONALLY use the technology to write prescriptions?

Universe: All physicians who responded "Yes" to Q20c_PD (ITPRESC=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 1,563 | 1,563 | 33.1 | 33.1 |
| 2: Occasionally | 234 | 1,797 | 5.0 | 38.1 |
| 3: Not at all | 212 | 2,009 | 4.5 | 42.6 |
| -9: Not Ascertained | 23 | 2,032 | 0.5 | 43.1 |
| -1: Inapplicable | 2,688 | 4,720 | 56.9 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| ITPRESCU | Numeric | 2.0 | 174 | 175 |
|-----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for writing prescriptions.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 2,626 | 2,626 | 55.6 | 55.6 |
| 2: IT available, but not used | 212 | 2,838 | 4.5 | 60.1 |
| 3: IT available and used | 1,797 | 4,635 | 38.1 | 98.2 |
| -9: Not Ascertained | 84 | 4,719 | 1.8 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| ITPHRM | Numeric | 2.0 | 176 | 177 |

Question: Q20d_PD

Is Information Technology available in YOUR PRACTICE for transmitting prescriptions to pharmacy?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,953 | 2,953 | 62.6 | 62.6 |
| 1: Yes | 1,703 | 4,656 | 36.1 | 98.6 |
| -9: Not Ascertained | 63 | 4,719 | 1.3 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITPHRMX | Numeric | 2.0 | 178 | 179 |
|----------------|---------|-----|-----|-----|

Question: Q20d_PD

IF YES, How often do YOU PERSONALLY use the technology to transmit prescriptions to pharmacy?

Universe: All physicians who responded "Yes" to Q20d_PD (ITPHRM=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Routinely | 1,074 | 1,074 | 22.8 | 22.8 |
| 2: Occasionally | 348 | 1,422 | 7.4 | 30.1 |
| 3: Not at all | 250 | 1,672 | 5.3 | 35.4 |
| -9: Not Ascertained | 31 | 1,703 | 0.7 | 36.1 |
| -1: Inapplicable | 3,017 | 4,720 | 63.9 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITPHRMU | Numeric | 2.0 | 180 | 181 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: Constructed variable combining IT availability and frequency of use for transmitting prescriptions to pharmacy.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: IT not available | 2,953 | 2,953 | 62.6 | 62.6 |
| 2: IT available, but not used | 250 | 3,203 | 5.3 | 67.9 |
| 3: IT available and used | 1,422 | 4,625 | 30.1 | 98.0 |
| -9: Not Ascertained | 94 | 4,719 | 2.0 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Information Technology in Medicine

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| EMRUSE | Numeric | 2.0 | 182 | 183 |

Question: Q21

An electronic medical record (EMR) is a computer-based patient medical record. Does your main practice use electronic medical records?

| Value | Count | Cum | Percent | CumPct |
|--|-------|-------|---------|--------|
| 0: No, all paper | 2,308 | 2,308 | 48.9 | 48.9 |
| 1: Yes, all electronic | 1,124 | 3,432 | 23.8 | 72.7 |
| 2: Yes, part electronic and part paper | 1,268 | 4,700 | 26.9 | 99.6 |
| -9: Not Ascertained | 17 | 4,717 | 0.4 | 99.9 |
| -8: Don't Know | 3 | 4,720 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ITINCNT | Numeric | 2.0 | 184 | 185 |
|----------------|---------|-----|-----|-----|

Question: Q22

Does your main practice receive any financial incentives from health plans and other organizations that are tied to the types of information technology systems (e.g., electronic health records or electronic prescribing systems) it adopts?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,298 | 3,298 | 69.9 | 69.9 |
| 1: Yes | 223 | 3,521 | 4.7 | 74.6 |
| -9: Not Ascertained | 21 | 3,542 | 0.4 | 75.0 |
| -8: Don't Know | 1,178 | 4,720 | 25.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Hospital Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| ERRREPT | Numeric | 2.0 | 186 | 187 |

Question: Q23

Medical errors include events such as dispensing incorrect medication doses, surgical mistakes, or errors in interpreting results of diagnostic tests. Does the hospital where most of your patients are treated have a system for reporting medical errors, in which the person reporting the error remains anonymous?

| Value | Count | Cum | Percent | CumPct |
|----------------------------|-------|-------|---------|--------|
| 0: No | 266 | 266 | 5.6 | 5.6 |
| 1: Yes | 2,279 | 2,545 | 48.3 | 53.9 |
| 2: I do not admit patients | 798 | 3,343 | 16.9 | 70.8 |
| -9: Not Ascertained | 39 | 3,382 | 0.8 | 71.7 |
| -8: Don't Know | 1,338 | 4,720 | 28.3 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| HSPLST | Numeric | 3.0 | 188 | 190 |
|---------------|---------|-----|-----|-----|

Question: Q24

Hospitalists are physicians whose primary professional focus is the general medical care of hospitalized patients. What percentage of your patients who were hospitalized last year had a hospitalist involved in their inpatient care?

Universe: All physicians who admitted patients to a hospital in the last year and not a practicing hospitalist.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0 | 759 | 759 | 16.1 | 16.1 |
| 1-25 | 1,105 | 1,864 | 23.4 | 39.5 |
| 26-50 | 416 | 2,280 | 8.8 | 48.3 |
| 51-75 | 196 | 2,476 | 4.2 | 52.5 |
| 76-100 | 772 | 3,248 | 16.4 | 68.8 |
| -9: Not Ascertained | 74 | 3,322 | 1.6 | 70.4 |
| -8: Don't Know | 6 | 3,328 | 0.1 | 70.5 |
| -1: Inapplicable | 1,392 | 4,720 | 29.5 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Hospital Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| HSPLSTA | Numeric | 2.0 | 191 | 192 |

Question: Q24a

Hospitalists are physicians whose primary professional focus is the general medical care of hospitalized patients. Flag to indicate the respondent did not admit patients to a hospital in the last year.

| Value | Count | Cum | Percent | CumPct |
|--------|-------|-------|---------|--------|
| 0: No | 3,529 | 3,529 | 74.8 | 74.8 |
| 1: Yes | 1,191 | 4,720 | 25.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| HSPLSTB | Numeric | 2.0 | 193 | 194 |
|----------------|---------|-----|-----|-----|

Question: Q24b

Hospitalists are physicians whose primary professional focus is the general medical care of hospitalized patients. Flag to indicate the respondent is a practicing hospitalist.

| Value | Count | Cum | Percent | CumPct |
|--------|-------|-------|---------|--------|
| 0: No | 4,514 | 4,514 | 95.6 | 95.6 |
| 1: Yes | 206 | 4,720 | 4.4 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| INTSVST | Numeric | 2.0 | 195 | 196 |
|----------------|---------|-----|-----|-----|

Question: Q25

Intensivists are physicians who are board certified to care for critically ill patients in settings such as medical intensive care units. Does the hospital where you admit the greatest number of your patients have intensive care units that are always covered by intensivists?

| Value | Count | Cum | Percent | CumPct |
|-------------------------------------|-------|-------|---------|--------|
| 0: No | 1,139 | 1,139 | 24.1 | 24.1 |
| 1: Yes | 2,331 | 3,470 | 49.4 | 73.5 |
| 2: I did not admit patients to hosp | 1,041 | 4,511 | 22.1 | 95.6 |
| 3: I am a practicing intensivist | 105 | 4,616 | 2.2 | 97.8 |
| -9: Not Ascertained | 97 | 4,713 | 2.1 | 99.9 |
| -8: Don't Know | 7 | 4,720 | 0.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| EFGUIDE | Numeric | 2.0 | 197 | 198 |

Question: Q26

How large an effect does your use of formal, written practice guidelines, such as those generated by physician organizations, insurance companies, HMOs, or government agencies, have on your practice of medicine?

| Value | Count | Cum | Percent | CumPct |
|-------------------------------------|-------|-------|---------|--------|
| 0: No Effect | 277 | 277 | 5.9 | 5.9 |
| 1: Very small | 513 | 790 | 10.9 | 16.7 |
| 2: Small | 795 | 1,585 | 16.8 | 33.6 |
| 3: Moderate | 1,404 | 2,989 | 29.7 | 63.3 |
| 4: Large | 906 | 3,895 | 19.2 | 82.5 |
| 5: Very large | 459 | 4,354 | 9.7 | 92.2 |
| 6: Unaware of guidelines that apply | 343 | 4,697 | 7.3 | 99.5 |
| -9: Not Ascertained | 23 | 4,720 | 0.5 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| RADQTIME | Numeric | 2.0 | 199 | 200 |
|-----------------|---------|-----|-----|-----|

Question: Q27a

Please indicate your level of agreement or disagreement with the following statements. a. I have adequate time to spend with my patients during their office visits.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Disagree strongly | 491 | 491 | 10.4 | 10.4 |
| 2: Disagree somewhat | 995 | 1,486 | 21.1 | 31.5 |
| 3: Neither agree nor disagree | 74 | 1,560 | 1.6 | 33.1 |
| 4: Agree somewhat | 1,951 | 3,511 | 41.3 | 74.4 |
| 5: Agree strongly | 1,161 | 4,672 | 24.6 | 99.0 |
| -9: Not Ascertained | 48 | 4,720 | 1.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| RHIGHCAR | Numeric | 2.0 | 201 | 202 |

Question: Q27b

Please indicate your level of agreement or disagreement with the following statements. b. It is possible to provide high quality care to all of my patients.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Disagree strongly | 224 | 224 | 4.7 | 4.7 |
| 2: Disagree somewhat | 639 | 863 | 13.5 | 18.3 |
| 3: Neither agree nor disagree | 26 | 889 | 0.6 | 18.8 |
| 4: Agree somewhat | 2,055 | 2,944 | 43.5 | 62.4 |
| 5: Agree strongly | 1,750 | 4,694 | 37.1 | 99.4 |
| -9: Not Ascertained | 26 | 4,720 | 0.6 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| RPTPCO | Numeric | 2.0 | 203 | 204 |
|---------------|---------|-----|-----|-----|

Question: Q28a

Please indicate whether or not you receive the following types of reports for your own patients. a. Quality of preventive care delivered to eligible patients.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,784 | 2,784 | 59.0 | 59.0 |
| 1: Yes | 1,739 | 4,523 | 36.8 | 95.8 |
| -9: Not Ascertained | 193 | 4,716 | 4.1 | 99.9 |
| -8: Don't Know | 4 | 4,720 | 0.1 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| RPTPCP | Numeric | 2.0 | 205 | 206 |
|---------------|---------|-----|-----|-----|

Question: Q28a

Please indicate whether or not you receive the following types of reports for the practice as a whole. a. Quality of preventive care delivered to eligible patients.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,527 | 2,527 | 53.5 | 53.5 |
| 1: Yes | 1,444 | 3,971 | 30.6 | 84.1 |
| -9: Not Ascertained | 741 | 4,712 | 15.7 | 99.8 |
| -8: Don't Know | 8 | 4,720 | 0.2 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| RPTCHRO | Numeric | 2.0 | 207 | 208 |

Question: Q28b

Please indicate whether or not you receive the following types of reports for your own patients. b. Quality of care delivered to patients with specific chronic conditions (such as asthma, diabetes, depression, or congestive heart failure)

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,660 | 2,660 | 56.4 | 56.4 |
| 1: Yes | 1,855 | 4,515 | 39.3 | 95.7 |
| -9: Not Ascertained | 201 | 4,716 | 4.3 | 99.9 |
| -8: Don't Know | 4 | 4,720 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| RPTCHRP | Numeric | 2.0 | 209 | 210 |
|----------------|---------|-----|-----|-----|

Question: Q28b

Please indicate whether or not you receive the following types of reports for the practice as a whole. b. Quality of care delivered to patients with specific chronic conditions (such as asthma, diabetes, depression, or congestive heart failure)

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,399 | 2,399 | 50.8 | 50.8 |
| 1: Yes | 1,558 | 3,957 | 33.0 | 83.8 |
| -9: Not Ascertained | 754 | 4,711 | 16.0 | 99.8 |
| -8: Don't Know | 9 | 4,720 | 0.2 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| RPTDMO | Numeric | 2.0 | 211 | 212 |
|---------------|---------|-----|-----|-----|

Question: Q28c

Please indicate whether or not you receive the following types of reports for your own patients. c. Demographic information on patients' race, ethnicity, or preferred language

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,478 | 3,478 | 73.7 | 73.7 |
| 1: Yes | 1,027 | 4,505 | 21.8 | 95.4 |
| -9: Not Ascertained | 210 | 4,715 | 4.4 | 99.9 |
| -8: Don't Know | 5 | 4,720 | 0.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| RPTDMP | Numeric | 2.0 | 213 | 214 |

Question: Q28c

Please indicate whether or not you receive the following types of reports for the practice as a whole. c. Demographic information on patients' race, ethnicity, or preferred language.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,955 | 2,955 | 62.6 | 62.6 |
| 1: Yes | 981 | 3,936 | 20.8 | 83.4 |
| -9: Not Ascertained | 772 | 4,708 | 16.4 | 99.7 |
| -8: Don't Know | 12 | 4,720 | 0.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| RPTETHO | Numeric | 2.0 | 215 | 216 |
|----------------|---------|-----|-----|-----|

Question: Q28d

Please indicate whether or not you receive the following types of reports for your own patients. d. Quality of care delivered to patients of different races or ethnic backgrounds.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,991 | 3,991 | 84.6 | 84.6 |
| 1: Yes | 527 | 4,518 | 11.2 | 95.7 |
| -9: Not Ascertained | 195 | 4,713 | 4.1 | 99.9 |
| -8: Don't Know | 7 | 4,720 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| RPTETHP | Numeric | 2.0 | 217 | 218 |
|----------------|---------|-----|-----|-----|

Question: Q28d

Please indicate whether or not you receive the following types of reports for the practice as a whole. d. Quality of care delivered to patients of different races or ethnic backgrounds

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,423 | 3,423 | 72.5 | 72.5 |
| 1: Yes | 513 | 3,936 | 10.9 | 83.4 |
| -9: Not Ascertained | 770 | 4,706 | 16.3 | 99.7 |
| -8: Don't Know | 14 | 4,720 | 0.3 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| RPTLSTO | Numeric | 2.0 | 219 | 220 |

Question: Q28e

Please indicate whether or not you receive the following types of reports for your own patients. e. Patient lists or registries (e.g., lists of patients with specific clinical conditions, medications, or laboratory results)

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,174 | 3,174 | 67.2 | 67.2 |
| 1: Yes | 1,345 | 4,519 | 28.5 | 95.7 |
| -9: Not Ascertained | 196 | 4,715 | 4.2 | 99.9 |
| -8: Don't Know | 5 | 4,720 | 0.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| RPTLSTP | Numeric | 2.0 | 221 | 222 |
|----------------|---------|-----|-----|-----|

Question: Q28e

Please indicate whether or not you receive the following types of reports for the practice as a whole. e. Patient lists or registries (e.g., lists of patients with specific clinical conditions, medications, or laboratory results)

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,789 | 2,789 | 59.1 | 59.1 |
| 1: Yes | 1,158 | 3,947 | 24.5 | 83.6 |
| -9: Not Ascertained | 762 | 4,709 | 16.1 | 99.8 |
| -8: Don't Know | 11 | 4,720 | 0.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| QRPTPGM | Numeric | 2.0 | 223 | 224 |
|----------------|---------|-----|-----|-----|

Question: Q29

Do you personally participate in quality reporting programs sponsored by organizations outside of your practice (e.g., Bridges to Excellence, or the Centers for Medicare & Medicaid Services)?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,785 | 3,785 | 80.2 | 80.2 |
| 1: Yes | 879 | 4,664 | 18.6 | 98.8 |
| -9: Not Ascertained | 55 | 4,719 | 1.2 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| TRASTHM | Numeric | 2.0 | 225 | 226 |

Question: Q30a

Do physicians in your main practice routinely treat patients with the following chronic conditions?
a. Asthma.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,939 | 1,939 | 41.1 | 41.1 |
| 1: Yes | 2,764 | 4,703 | 58.6 | 99.6 |
| -9: Not Ascertained | 17 | 4,720 | 0.4 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| TRDIAB | Numeric | 2.0 | 227 | 228 |
|---------------|---------|-----|-----|-----|

Question: Q30b

Do physicians in your main practice routinely treat patients with the following chronic conditions?
b. Diabetes.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,891 | 1,891 | 40.1 | 40.1 |
| 1: Yes | 2,809 | 4,700 | 59.5 | 99.6 |
| -9: Not Ascertained | 20 | 4,720 | 0.4 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| TRDPRSN | Numeric | 2.0 | 229 | 230 |
|----------------|---------|-----|-----|-----|

Question: Q30c

Do physicians in your main practice routinely treat patients with the following chronic conditions?
c. Depression.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,914 | 1,914 | 40.6 | 40.6 |
| 1: Yes | 2,788 | 4,702 | 59.1 | 99.6 |
| -9: Not Ascertained | 17 | 4,719 | 0.4 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| TRCHF | Numeric | 2.0 | 231 | 232 |
|--------------|---------|-----|-----|-----|

Question: Q30d

Do physicians in your main practice routinely treat patients with the following chronic conditions?
d. Congestive heart failure.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,355 | 2,355 | 49.9 | 49.9 |
| 1: Yes | 2,348 | 4,703 | 49.7 | 99.6 |
| -9: Not Ascertained | 17 | 4,720 | 0.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| GENGAST | Numeric | 2.0 | 233 | 234 |

Question: Q31a

Does your main practice provide the following services to patients with asthma? a. Written materials that explain guidelines for recommended care in English

Universe: Excludes physicians who responded "No" to Q30a (TRASTHM=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 963 | 963 | 20.4 | 20.4 |
| 1: Yes | 1,795 | 2,758 | 38.0 | 58.4 |
| -9: Not Ascertained | 17 | 2,775 | 0.4 | 58.8 |
| -8: Don't Know | 6 | 2,781 | 0.1 | 58.9 |
| -1: Inapplicable | 1,939 | 4,720 | 41.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| GENGDIA | Numeric | 2.0 | 235 | 236 |
|----------------|---------|-----|-----|-----|

Question: Q31a

Does your main practice provide the following services to patients with diabetes? a. Written materials that explain guidelines for recommended care in English

Universe: Excludes physicians who responded "No" to Q30b (TRDIAB=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 959 | 959 | 20.3 | 20.3 |
| 1: Yes | 1,843 | 2,802 | 39.0 | 59.4 |
| -9: Not Ascertained | 20 | 2,822 | 0.4 | 59.8 |
| -8: Don't Know | 7 | 2,829 | 0.1 | 59.9 |
| -1: Inapplicable | 1,891 | 4,720 | 40.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| GENGDEP | Numeric | 2.0 | 237 | 238 |
|----------------|---------|-----|-----|-----|

Question: Q31a

Does your main practice provide the following services to patients with depression? a. Written materials that explain guidelines for recommended care in English

Universe: Excludes physicians who responded "No" to Q30c (TRDPRSN=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,364 | 1,364 | 28.9 | 28.9 |
| 1: Yes | 1,418 | 2,782 | 30.0 | 58.9 |
| -9: Not Ascertained | 17 | 2,799 | 0.4 | 59.3 |
| -8: Don't Know | 7 | 2,806 | 0.1 | 59.4 |
| -1: Inapplicable | 1,914 | 4,720 | 40.6 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| GENGCHF | Numeric | 2.0 | 239 | 240 |

Question: Q31a

Does your main practice provide the following services to patients with congestive heart failure?
a. Written materials that explain guidelines for recommended care in English

Universe: Excludes physicians who responded "No" to Q30d (TRCHF=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,074 | 1,074 | 22.8 | 22.8 |
| 1: Yes | 1,268 | 2,342 | 26.9 | 49.6 |
| -9: Not Ascertained | 17 | 2,359 | 0.4 | 50.0 |
| -8: Don't Know | 6 | 2,365 | 0.1 | 50.1 |
| -1: Inapplicable | 2,355 | 4,720 | 49.9 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| GOTHAST | Numeric | 2.0 | 241 | 242 |
|----------------|---------|-----|-----|-----|

Question: Q31b

Does your main practice provide the following services to patients with asthma? b. Written materials that explain guidelines for recommended care in languages other than English.

Universe: Excludes physicians who responded "No" to Q30a (TRASTHM=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,795 | 1,795 | 38.0 | 38.0 |
| 1: Yes | 962 | 2,757 | 20.4 | 58.4 |
| -9: Not Ascertained | 17 | 2,774 | 0.4 | 58.8 |
| -8: Don't Know | 7 | 2,781 | 0.1 | 58.9 |
| -1: Inapplicable | 1,939 | 4,720 | 41.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| GOTHDIA | Numeric | 2.0 | 243 | 244 |
|----------------|---------|-----|-----|-----|

Question: Q31b

Does your main practice provide the following services to patients with diabetes? b. Written materials that explain guidelines for recommended care in languages other than English.

Universe: Excludes physicians who responded "No" to Q30b (TRDIAB=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,788 | 1,788 | 37.9 | 37.9 |
| 1: Yes | 1,013 | 2,801 | 21.5 | 59.3 |
| -9: Not Ascertained | 20 | 2,821 | 0.4 | 59.8 |
| -8: Don't Know | 8 | 2,829 | 0.2 | 59.9 |
| -1: Inapplicable | 1,891 | 4,720 | 40.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| GOTHDEP | Numeric | 2.0 | 245 | 246 |

Question: Q31b

Does your main practice provide the following services to patients with depression? b. Written materials that explain guidelines for recommended care in languages other than English.

Universe: Excludes physicians who responded "No" to Q30c (TRDPRSN=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,065 | 2,065 | 43.8 | 43.8 |
| 1: Yes | 714 | 2,779 | 15.1 | 58.9 |
| -9: Not Ascertained | 17 | 2,796 | 0.4 | 59.2 |
| -8: Don't Know | 10 | 2,806 | 0.2 | 59.4 |
| -1: Inapplicable | 1,914 | 4,720 | 40.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| GOTHCHF | Numeric | 2.0 | 247 | 248 |
|----------------|---------|-----|-----|-----|

Question: Q31b

Does your main practice provide the following services to patients with congestive heart failure? b. Written materials that explain guidelines for recommended care in languages other than English.

Universe: Excludes physicians who responded "No" to Q30d (TRCHF=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,695 | 1,695 | 35.9 | 35.9 |
| 1: Yes | 645 | 2,340 | 13.7 | 49.6 |
| -9: Not Ascertained | 17 | 2,357 | 0.4 | 49.9 |
| -8: Don't Know | 8 | 2,365 | 0.2 | 50.1 |
| -1: Inapplicable | 2,355 | 4,720 | 49.9 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| MNTRAST | Numeric | 2.0 | 249 | 250 |
|----------------|---------|-----|-----|-----|

Question: Q31c

Does your main practice provide the following services to patients with asthma? c. Nurse care managers to monitor and coordinate the care of patients with that condition.

Universe: Excludes physicians who responded "No" to Q30a (TRASTHM=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,201 | 2,201 | 46.6 | 46.6 |
| 1: Yes | 557 | 2,758 | 11.8 | 58.4 |
| -9: Not Ascertained | 17 | 2,775 | 0.4 | 58.8 |
| -8: Don't Know | 6 | 2,781 | 0.1 | 58.9 |
| -1: Inapplicable | 1,939 | 4,720 | 41.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| MNTRDIA | Numeric | 2.0 | 251 | 252 |

Question: Q31c

Does your main practice provide the following services to patients with diabetes? c. Nurse care managers to monitor and coordinate the care of patients with that condition.

Universe: Excludes physicians who responded "No" to Q30b (TRDIAB=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,980 | 1,980 | 41.9 | 41.9 |
| 1: Yes | 822 | 2,802 | 17.4 | 59.4 |
| -9: Not Ascertained | 20 | 2,822 | 0.4 | 59.8 |
| -8: Don't Know | 7 | 2,829 | 0.1 | 59.9 |
| -1: Inapplicable | 1,891 | 4,720 | 40.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| MNTRDEP | Numeric | 2.0 | 253 | 254 |
|----------------|---------|-----|-----|-----|

Question: Q31c

Does your main practice provide the following services to patients with depression? c. Nurse care managers to monitor and coordinate the care of patients with that condition.

Universe: Excludes physicians who responded "No" to Q30c (TRDPRSN=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,375 | 2,375 | 50.3 | 50.3 |
| 1: Yes | 405 | 2,780 | 8.6 | 58.9 |
| -9: Not Ascertained | 17 | 2,797 | 0.4 | 59.3 |
| -8: Don't Know | 9 | 2,806 | 0.2 | 59.4 |
| -1: Inapplicable | 1,914 | 4,720 | 40.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| MNTRCHF | Numeric | 2.0 | 255 | 256 |
|----------------|---------|-----|-----|-----|

Question: Q31c

Does your main practice provide the following services to patients with congestive heart failure? c. Nurse care managers to monitor and coordinate the care of patients with that condition

Universe: Excludes physicians who responded "No" to Q30d (TRCHF=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,773 | 1,773 | 37.6 | 37.6 |
| 1: Yes | 569 | 2,342 | 12.1 | 49.6 |
| -9: Not Ascertained | 17 | 2,359 | 0.4 | 50.0 |
| -8: Don't Know | 6 | 2,365 | 0.1 | 50.1 |
| -1: Inapplicable | 2,355 | 4,720 | 49.9 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| EPATAST | Numeric | 2.0 | 257 | 258 |

Question: Q31d

Does your main practice provide the following services to patients with asthma? d. Non-physician staff to educate patients in managing that condition

Universe: Excludes physicians who responded "No" to Q30a (TRASTHM=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,915 | 1,915 | 40.6 | 40.6 |
| 1: Yes | 843 | 2,758 | 17.9 | 58.4 |
| -9: Not Ascertained | 17 | 2,775 | 0.4 | 58.8 |
| -8: Don't Know | 6 | 2,781 | 0.1 | 58.9 |
| -1: Inapplicable | 1,939 | 4,720 | 41.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| EPATDIA | Numeric | 2.0 | 259 | 260 |
|----------------|---------|-----|-----|-----|

Question: Q31d

Does your main practice provide the following services to patients with diabetes? d. Non-physician staff to educate patients in managing that condition

Universe: Excludes physicians who responded "No" to Q30b (TRDIAB=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,562 | 1,562 | 33.1 | 33.1 |
| 1: Yes | 1,240 | 2,802 | 26.3 | 59.4 |
| -9: Not Ascertained | 20 | 2,822 | 0.4 | 59.8 |
| -8: Don't Know | 7 | 2,829 | 0.1 | 59.9 |
| -1: Inapplicable | 1,891 | 4,720 | 40.1 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| EPATDEP | Numeric | 2.0 | 261 | 262 |
|----------------|---------|-----|-----|-----|

Question: Q31d

Does your main practice provide the following services to patients with depression? d. Non-physician staff to educate patients in managing that condition

Universe: Excludes physicians who responded "No" to Q30c (TRDPRSN=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,178 | 2,178 | 46.1 | 46.1 |
| 1: Yes | 604 | 2,782 | 12.8 | 58.9 |
| -9: Not Ascertained | 17 | 2,799 | 0.4 | 59.3 |
| -8: Don't Know | 7 | 2,806 | 0.1 | 59.4 |
| -1: Inapplicable | 1,914 | 4,720 | 40.6 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| EPATCHF | Numeric | 2.0 | 263 | 264 |

Question: Q31d

Does your main practice provide the following services to patients with congestive heart failure?
d. Non-physician staff to educate patients in managing that condition

Universe: Excludes physicians who responded "No" to Q30d (TRCHF=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,678 | 1,678 | 35.6 | 35.6 |
| 1: Yes | 664 | 2,342 | 14.1 | 49.6 |
| -9: Not Ascertained | 17 | 2,359 | 0.4 | 50.0 |
| -8: Don't Know | 6 | 2,365 | 0.1 | 50.1 |
| -1: Inapplicable | 2,355 | 4,720 | 49.9 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| GVSTAST | Numeric | 2.0 | 265 | 266 |
|----------------|---------|-----|-----|-----|

Question: Q31e

Does your main practice provide the following services to patients with asthma? e. Group visits in which patients with that condition meet with staff who provide routine medical care or address educational or personal concerns.

Universe: Excludes physicians who responded "No" to Q30a (TRASTHM=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,545 | 2,545 | 53.9 | 53.9 |
| 1: Yes | 211 | 2,756 | 4.5 | 58.4 |
| -9: Not Ascertained | 17 | 2,773 | 0.4 | 58.8 |
| -8: Don't Know | 8 | 2,781 | 0.2 | 58.9 |
| -1: Inapplicable | 1,939 | 4,720 | 41.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| GVSTDIA | Numeric | 2.0 | 267 | 268 |

Question: Q31e

Does your main practice provide the following services to patients with diabetes? e. Group visits in which patients with that condition meet with staff who provide routine medical care or address educational or personal concerns.

Universe: Excludes physicians who responded "No" to Q30b (TRDIAB=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,315 | 2,315 | 49.0 | 49.0 |
| 1: Yes | 486 | 2,801 | 10.3 | 59.3 |
| -9: Not Ascertained | 20 | 2,821 | 0.4 | 59.8 |
| -8: Don't Know | 8 | 2,829 | 0.2 | 59.9 |
| -1: Inapplicable | 1,891 | 4,720 | 40.1 | 100.0 |

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| GVSTDEP | Numeric | 2.0 | 269 | 270 |

Question: Q31e

Does your main practice provide the following services to patients with depression? e. Group visits in which patients with that condition meet with staff who provide routine medical care or address educational or personal concerns.

Universe: Excludes physicians who responded "No" to Q30c (TRDPRSN=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,524 | 2,524 | 53.5 | 53.5 |
| 1: Yes | 257 | 2,781 | 5.4 | 58.9 |
| -9: Not Ascertained | 17 | 2,798 | 0.4 | 59.3 |
| -8: Don't Know | 8 | 2,806 | 0.2 | 59.4 |
| -1: Inapplicable | 1,914 | 4,720 | 40.6 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| GVSTCHF | Numeric | 2.0 | 271 | 272 |

Question: Q31e

Does your main practice provide the following services to patients with congestive heart failure?
e. Group visits in which patients with that condition meet with staff who provide routine medical care or address educational or personal concerns.

Universe: Excludes physicians who responded "No" to Q30d (TRCHF=0).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,146 | 2,146 | 45.5 | 45.5 |
| 1: Yes | 194 | 2,340 | 4.1 | 49.6 |
| -9: Not Ascertained | 17 | 2,357 | 0.4 | 49.9 |
| -8: Don't Know | 8 | 2,365 | 0.2 | 50.1 |
| -1: Inapplicable | 2,355 | 4,720 | 49.9 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| DM_PGM | Numeric | 2.0 | 273 | 274 |
|---------------|---------|-----|-----|-----|

Question: Q32

Disease management programs are intended to reduce costs and improve quality of life for patients with chronic diseases by integrating delivery of care and involving the patient in self care. Are any of your patients in disease management programs sponsored by health plans or employers?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,998 | 2,998 | 63.5 | 63.5 |
| 1: Yes | 1,615 | 4,613 | 34.2 | 97.7 |
| -9: Not Ascertained | 93 | 4,706 | 2.0 | 99.7 |
| -8: Don't Know | 14 | 4,720 | 0.3 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| DMPOVQC | Numeric | 2.0 | 275 | 276 |

Question: Q32a_1

Please indicate your level of agreement or disagreement with the following statements about disease management programs sponsored by health plans or employers. 1. Disease management programs improve the overall quality of care for my patients with chronic conditions

Universe: All physicians who responded "Yes" to Q32 (DM_PGM=1).

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Disagree strongly | 80 | 80 | 1.7 | 1.7 |
| 2: Disagree somewhat | 110 | 190 | 2.3 | 4.0 |
| 3: Neither agree nor disagree | 410 | 600 | 8.7 | 12.7 |
| 4: Agree somewhat | 636 | 1,236 | 13.5 | 26.2 |
| 5: Agree strongly | 373 | 1,609 | 7.9 | 34.1 |
| -9: Not Ascertained | 6 | 1,615 | 0.1 | 34.2 |
| -1: Inapplicable | 3,105 | 4,720 | 65.8 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| DMPDRQC | Numeric | 2.0 | 277 | 278 |
|----------------|---------|-----|-----|-----|

Question: Q32a_2

Please indicate your level of agreement or disagreement with the following statements about disease management programs sponsored by health plans or employers. 2. Disease management programs improve my ability to provide high quality care to my patients with chronic conditions

Universe: All physicians who responded "Yes" to Q32 (DM_PGM=1).

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Disagree strongly | 110 | 110 | 2.3 | 2.3 |
| 2: Disagree somewhat | 154 | 264 | 3.3 | 5.6 |
| 3: Neither agree nor disagree | 475 | 739 | 10.1 | 15.7 |
| 4: Agree somewhat | 520 | 1,259 | 11.0 | 26.7 |
| 5: Agree strongly | 346 | 1,605 | 7.3 | 34.0 |
| -9: Not Ascertained | 10 | 1,615 | 0.2 | 34.2 |
| -1: Inapplicable | 3,105 | 4,720 | 65.8 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| KNOWALL | Numeric | 2.0 | 279 | 280 |

Question: Q33a

This question concerns your experiences coordinating patient care with other physicians. a. How often do you know about all the visits that your patients make to other physicians?

Description: "Not Applicable" indicates respondent rarely or never coordinates patient care.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Always or Most of the Time | 1,491 | 1,491 | 31.6 | 31.6 |
| 2: Sometimes | 2,122 | 3,613 | 45.0 | 76.5 |
| 3: Seldom or Never | 756 | 4,369 | 16.0 | 92.6 |
| 4: Not Applicable | 198 | 4,567 | 4.2 | 96.8 |
| -9: Not Ascertained | 153 | 4,720 | 3.2 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PCPSEND | Numeric | 2.0 | 281 | 282 |
|----------------|---------|-----|-----|-----|

Question: Q33b

This question concerns your experiences coordinating patient care with other physicians. b. When you refer a patient to a specialist, how often do you send the specialist notification of the patient's history and reason for the consultation?

Description: "Not Applicable" indicates respondent rarely or never coordinates patient care.

Universe: All primary care physicians.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Always or Most of the Time | 1,241 | 1,241 | 26.3 | 26.3 |
| 2: Sometimes | 468 | 1,709 | 9.9 | 36.2 |
| 3: Seldom or Never | 95 | 1,804 | 2.0 | 38.2 |
| 4: Not Applicable | 33 | 1,837 | 0.7 | 38.9 |
| -9: Not Ascertained | 53 | 1,890 | 1.1 | 40.0 |
| -1: Inapplicable | 2,830 | 4,720 | 60.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| PCPGET | Numeric | 2.0 | 283 | 284 |

Question: Q33c

This question concerns your experiences coordinating patient care with other physicians. c. How often do you receive useful information about your referred patients from specialists?

Description: "Not Applicable" indicates respondent rarely or never coordinates patient care.

Universe: All primary care physicians.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Always or Most of the Time | 1,123 | 1,123 | 23.8 | 23.8 |
| 2: Sometimes | 626 | 1,749 | 13.3 | 37.1 |
| 3: Seldom or Never | 50 | 1,799 | 1.1 | 38.1 |
| 4: Not Applicable | 28 | 1,827 | 0.6 | 38.7 |
| -9: Not Ascertained | 63 | 1,890 | 1.3 | 40.0 |
| -1: Inapplicable | 2,830 | 4,720 | 60.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PCPTALK | Numeric | 2.0 | 285 | 286 |
|----------------|---------|-----|-----|-----|

Question: Q33d

This question concerns your experiences coordinating patient care with other physicians. d. After your patient has seen a specialist, how often do you talk with the patient or family members about the results of the visit(s) with the specialist?

Description: "Not Applicable" indicates respondent rarely or never coordinates patient care.

Universe: All primary care physicians.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Always or Most of the Time | 1,076 | 1,076 | 22.8 | 22.8 |
| 2: Sometimes | 672 | 1,748 | 14.2 | 37.0 |
| 3: Seldom or Never | 57 | 1,805 | 1.2 | 38.2 |
| 4: Not Applicable | 36 | 1,841 | 0.8 | 39.0 |
| -9: Not Ascertained | 49 | 1,890 | 1.0 | 40.0 |
| -1: Inapplicable | 2,830 | 4,720 | 60.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| SPCGET | Numeric | 2.0 | 287 | 288 |

Question: Q33e

This question concerns your experiences coordinating patient care with other physicians. e. When you see a patient referred to you by a primary care physician (PCP), how often do you receive notification about the patient's medical history and reason for consultation?

Description: "Not Applicable" indicates respondent rarely or never coordinates patient care.

Universe: All specialists.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Always or Most of the Time | 900 | 900 | 19.1 | 19.1 |
| 2: Sometimes | 1,177 | 2,077 | 24.9 | 44.0 |
| 3: Seldom or Never | 514 | 2,591 | 10.9 | 54.9 |
| 4: Not Applicable | 97 | 2,688 | 2.1 | 56.9 |
| -9: Not Ascertained | 142 | 2,830 | 3.0 | 60.0 |
| -1: Inapplicable | 1,890 | 4,720 | 40.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| SPCSEND | Numeric | 2.0 | 289 | 290 |
|----------------|---------|-----|-----|-----|

Question: Q33f

This question concerns your experiences coordinating patient care with other physicians. f. For the patients that were referred to you by a PCP, how often do you send the PCP notification of the results of your consultation and advice to the patient?

Description: "Not Applicable" indicates respondent rarely or never coordinates patient care.

Universe: All specialists.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Always or Most of the Time | 2,052 | 2,052 | 43.5 | 43.5 |
| 2: Sometimes | 384 | 2,436 | 8.1 | 51.6 |
| 3: Seldom or Never | 101 | 2,537 | 2.1 | 53.8 |
| 4: Not Applicable | 105 | 2,642 | 2.2 | 56.0 |
| -9: Not Ascertained | 188 | 2,830 | 4.0 | 60.0 |
| -1: Inapplicable | 1,890 | 4,720 | 40.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| SELFREF | Numeric | 2.0 | 291 | 292 |

Question: Q33g

This question concerns your experiences coordinating patient care with other physicians. g. How often are new patients you see self-referred?

Description: "Not Applicable" indicates respondent rarely or never coordinates patient care.

Universe: All specialists.

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: Always or Most of the Time | 536 | 536 | 11.4 | 11.4 |
| 2: Sometimes | 1,634 | 2,170 | 34.6 | 46.0 |
| 3: Seldom or Never | 376 | 2,546 | 8.0 | 53.9 |
| 4: Not Applicable | 138 | 2,684 | 2.9 | 56.9 |
| -9: Not Ascertained | 145 | 2,829 | 3.1 | 59.9 |
| -8: Don't Know | 1 | 2,830 | 0.0 | 60.0 |
| -1: Inapplicable | 1,890 | 4,720 | 40.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| NOTREFS | Numeric | 2.0 | 293 | 294 |
|----------------|---------|-----|-----|-----|

Question: Q34a

During the last 12 months, were you unable to obtain the following services for your patients when you thought they were medically necessary? a. Referrals to high quality specialists

Description: "Not Applicable" indicates that the service does not apply to the practice.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,530 | 2,530 | 53.6 | 53.6 |
| 1: Yes | 1,796 | 4,326 | 38.1 | 91.7 |
| 2: Not Applicable | 356 | 4,682 | 7.5 | 99.2 |
| -9: Not Ascertained | 38 | 4,720 | 0.8 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| NOTHOSP | Numeric | 2.0 | 295 | 296 |
|----------------|---------|-----|-----|-----|

Question: Q34b

During the last 12 months, were you unable to obtain the following services for your patients when you thought they were medically necessary? b. Non-emergency hospital admissions

Description: "Not Applicable" indicates that the service does not apply to the practice.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,732 | 2,732 | 57.9 | 57.9 |
| 1: Yes | 1,010 | 3,742 | 21.4 | 79.3 |
| 2: Not Applicable | 924 | 4,666 | 19.6 | 98.9 |
| -9: Not Ascertained | 54 | 4,720 | 1.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| NOTOUTP | Numeric | 2.0 | 297 | 298 |

Question: Q34c

During the last 12 months, were you unable to obtain the following services for your patients when you thought they were medically necessary? c. High quality outpatient mental health services.

Description: "Not Applicable" indicates that the service does not apply to the practice.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,396 | 1,396 | 29.6 | 29.6 |
| 1: Yes | 1,997 | 3,393 | 42.3 | 71.9 |
| 2: Not Applicable | 1,280 | 4,673 | 27.1 | 99.0 |
| -9: Not Ascertained | 47 | 4,720 | 1.0 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| NOTINTRP | Numeric | 2.0 | 299 | 300 |
|-----------------|---------|-----|-----|-----|

Question: Q34d

During the last 12 months, were you unable to obtain the following services for your patients when you thought they were medically necessary? d. Interpreter services for non-English speaking patients when they received care in your practice.

Description: "Not Applicable" indicates that the service does not apply to the practice.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,267 | 2,267 | 48.0 | 48.0 |
| 1: Yes | 876 | 3,143 | 18.6 | 66.6 |
| 2: Not Applicable | 1,531 | 4,674 | 32.4 | 99.0 |
| -9: Not Ascertained | 46 | 4,720 | 1.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| FORMLRY | Numeric | 3.0 | 301 | 303 |
|----------------|---------|-----|-----|-----|

Question: Q35

What percentage of your patients have prescription coverage that includes the use of a formulary?

| Value | Count | Cum | Percent | CumPct |
|--------|-------|-------|---------|--------|
| None | 84 | 84 | 1.8 | 1.8 |
| 1-25 | 351 | 435 | 7.4 | 9.2 |
| 26-50 | 1,020 | 1,455 | 21.6 | 30.8 |
| 51-75 | 1,179 | 2,634 | 25.0 | 55.8 |
| 76-100 | 2,086 | 4,720 | 44.2 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| GENERIC | Numeric | 2.0 | 304 | 305 |

Question: Q36a

Please indicate how often you consider insured patients' out-of-pocket costs in making the following decisions. a. If a generic option is available, how often do you prescribe a generic over a brand name drug?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Never | 41 | 41 | 0.9 | 0.9 |
| 2: Rarely | 91 | 132 | 1.9 | 2.8 |
| 3: Sometimes | 609 | 741 | 12.9 | 15.7 |
| 4: Usually | 2,465 | 3,206 | 52.2 | 67.9 |
| 5: Always | 1,465 | 4,671 | 31.0 | 99.0 |
| -9: Not Ascertained | 49 | 4,720 | 1.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| DIAGCST | Numeric | 2.0 | 306 | 307 |
|----------------|---------|-----|-----|-----|

Question: Q36b

Please indicate how often you consider insured patients' out-of-pocket costs in making the following decisions. b. If there is uncertainty about diagnosis, how often do you consider an insured patient's out-of-pocket costs in deciding the types of tests to recommend?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Never | 235 | 235 | 5.0 | 5.0 |
| 2: Rarely | 588 | 823 | 12.5 | 17.4 |
| 3: Sometimes | 1,132 | 1,955 | 24.0 | 41.4 |
| 4: Usually | 1,690 | 3,645 | 35.8 | 77.2 |
| 5: Always | 1,008 | 4,653 | 21.4 | 98.6 |
| -9: Not Ascertained | 67 | 4,720 | 1.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| IOPTCST | Numeric | 2.0 | 308 | 309 |

Question: Q36c

Please indicate how often you consider insured patients' out-of-pocket costs in making the following decisions. c. If there is a choice between outpatient and inpatient care, how often do you consider an insured patient's out-of-pocket costs?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Never | 335 | 335 | 7.1 | 7.1 |
| 2: Rarely | 621 | 956 | 13.2 | 20.3 |
| 3: Sometimes | 868 | 1,824 | 18.4 | 38.6 |
| 4: Usually | 1,500 | 3,324 | 31.8 | 70.4 |
| 5: Always | 1,270 | 4,594 | 26.9 | 97.3 |
| -9: Not Ascertained | 125 | 4,719 | 2.6 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| QNOTIME | Numeric | 2.0 | 310 | 311 |
|----------------|---------|-----|-----|-----|

Question: Q37a

Please indicate whether you think it is a major problem, minor problem, or not a problem affecting your ability to provide high quality care. a. Inadequate time with patients during office visits.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Not a problem | 1,142 | 1,142 | 24.2 | 24.2 |
| 2: Minor problem | 2,071 | 3,213 | 43.9 | 68.1 |
| 3: Major problem | 1,424 | 4,637 | 30.2 | 98.2 |
| -9: Not Ascertained | 83 | 4,720 | 1.8 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| QPRBPAY | Numeric | 2.0 | 312 | 313 |
|----------------|---------|-----|-----|-----|

Question: Q37b

Please indicate whether you think it is a major problem, minor problem, or not a problem affecting your ability to provide high quality care. b. Patients' inability to pay for needed care.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Not a problem | 677 | 677 | 14.3 | 14.3 |
| 2: Minor problem | 1,959 | 2,636 | 41.5 | 55.8 |
| 3: Major problem | 2,016 | 4,652 | 42.7 | 98.6 |
| -9: Not Ascertained | 68 | 4,720 | 1.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| QINSREJ | Numeric | 2.0 | 314 | 315 |

Question: Q37c

Please indicate whether you think it is a major problem, minor problem, or not a problem affecting your ability to provide high quality care. c. Rejections of care decisions by insurance companies

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Not a problem | 422 | 422 | 8.9 | 8.9 |
| 2: Minor problem | 1,898 | 2,320 | 40.2 | 49.2 |
| 3: Major problem | 2,322 | 4,642 | 49.2 | 98.3 |
| -9: Not Ascertained | 78 | 4,720 | 1.7 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| QNOSPEC | Numeric | 2.0 | 316 | 317 |
|----------------|---------|-----|-----|-----|

Question: Q37d

Please indicate whether you think it is a major problem, minor problem, or not a problem affecting your ability to provide high quality care. d. Lack of qualified specialists in your area

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Not a problem | 2,345 | 2,345 | 49.7 | 49.7 |
| 2: Minor problem | 1,621 | 3,966 | 34.3 | 84.0 |
| 3: Major problem | 689 | 4,655 | 14.6 | 98.6 |
| -9: Not Ascertained | 65 | 4,720 | 1.4 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| QNOREPT | Numeric | 2.0 | 318 | 319 |
|----------------|---------|-----|-----|-----|

Question: Q37e

Please indicate whether you think it is a major problem, minor problem, or not a problem affecting your ability to provide high quality care. e. Not getting timely reports from other physicians and facilities.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Not a problem | 1,263 | 1,263 | 26.8 | 26.8 |
| 2: Minor problem | 2,743 | 4,006 | 58.1 | 84.9 |
| 3: Major problem | 641 | 4,647 | 13.6 | 98.5 |
| -9: Not Ascertained | 72 | 4,719 | 1.5 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Quality and Coordination of Patient Care

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| QPRBCOM | Numeric | 2.0 | 320 | 321 |

Question: Q37f

Please indicate whether you think it is a major problem, minor problem, or not a problem affecting your ability to provide high quality care. f. Difficulties communicating with patients due to language or cultural barriers.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Not a problem | 2,368 | 2,368 | 50.2 | 50.2 |
| 2: Minor problem | 2,095 | 4,463 | 44.4 | 94.6 |
| 3: Major problem | 196 | 4,659 | 4.2 | 98.7 |
| -9: Not Ascertained | 61 | 4,720 | 1.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| QNONCMP | Numeric | 2.0 | 322 | 323 |
|----------------|---------|-----|-----|-----|

Question: Q37g

Please indicate whether you think it is a major problem, minor problem, or not a problem affecting your ability to provide high quality care. g. Patient non-compliance with treatment recommendations.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Not a problem | 231 | 231 | 4.9 | 4.9 |
| 2: Minor problem | 2,585 | 2,816 | 54.8 | 59.7 |
| 3: Major problem | 1,831 | 4,647 | 38.8 | 98.5 |
| -9: Not Ascertained | 73 | 4,720 | 1.5 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| QERRHSP | Numeric | 2.0 | 324 | 325 |
|----------------|---------|-----|-----|-----|

Question: Q37h

Please indicate whether you think it is a major problem, minor problem, or not a problem affecting your ability to provide high quality care. h. Medical errors in hospitals.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 1: Not a problem | 1,723 | 1,723 | 36.5 | 36.5 |
| 2: Minor problem | 2,582 | 4,305 | 54.7 | 91.2 |
| 3: Major problem | 288 | 4,593 | 6.1 | 97.3 |
| -9: Not Ascertained | 126 | 4,719 | 2.7 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Acceptance of New Patients

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| NWMCARE | Numeric | 2.0 | 326 | 327 |

Question: Q38

Is your practice accepting all, most, some, or no new patients who are insured through MEDICARE, including Medicare managed care patients?

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: No new Medicare patients | 676 | 676 | 14.3 | 14.3 |
| 2: Some new Medicare patients | 580 | 1,256 | 12.3 | 26.6 |
| 3: Most new Medicare patients | 767 | 2,023 | 16.3 | 42.9 |
| 4: All new Medicare patients | 2,697 | 4,720 | 57.1 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| MRBILL | Numeric | 2.0 | 328 | 329 |
|---------------|---------|-----|-----|-----|

Question: Q38a_1

If your practice accepts some or no new MEDICARE patients, please indicate the importance of each of the following reasons for your practice's decision.

1. Billing requirements, including paperwork, and filing of claims.

Universe: All physicians who responded "Some" or "No new Medicare and Medicare Managed Care patients" to Q38 (NWMCARE=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 200 | 200 | 4.2 | 4.2 |
| 2: Not very important | 135 | 335 | 2.9 | 7.1 |
| 3: Moderately important | 218 | 553 | 4.6 | 11.7 |
| 4: Very important | 437 | 990 | 9.3 | 21.0 |
| -9: Not Ascertained | 260 | 1,250 | 5.5 | 26.5 |
| -8: Don't Know | 6 | 1,256 | 0.1 | 26.6 |
| -1: Inapplicable | 3,464 | 4,720 | 73.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Acceptance of New Patients

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| MRAUDIT | Numeric | 2.0 | 330 | 331 |

Question: Q38a_2

If your practice accepts some or no new MEDICARE patients, please indicate the importance of each of the following reasons for your practice's decision. 2. Concern about a Medicare audit

Universe: All physicians who responded "Some" or "No new Medicare and Medicare Managed Care patients" to Q38 (NWMCARE=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 395 | 395 | 8.4 | 8.4 |
| 2: Not very important | 309 | 704 | 6.5 | 14.9 |
| 3: Moderately important | 132 | 836 | 2.8 | 17.7 |
| 4: Very important | 144 | 980 | 3.1 | 20.8 |
| -9: Not Ascertained | 270 | 1,250 | 5.7 | 26.5 |
| -8: Don't Know | 6 | 1,256 | 0.1 | 26.6 |
| -1: Inapplicable | 3,464 | 4,720 | 73.4 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| MRREIMB | Numeric | 2.0 | 332 | 333 |
|----------------|---------|-----|-----|-----|

Question: Q38a_3

If your practice accepts some or no new MEDICARE patients, please indicate the importance of each of the following reasons for your practice's decision. 3. Inadequate reimbursement.

Universe: All physicians who responded "Some" or "No new Medicare and Medicare Managed Care patients" to Q38 (NWMCARE=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 150 | 150 | 3.2 | 3.2 |
| 2: Not very important | 68 | 218 | 1.4 | 4.6 |
| 3: Moderately important | 166 | 384 | 3.5 | 8.1 |
| 4: Very important | 595 | 979 | 12.6 | 20.7 |
| -9: Not Ascertained | 272 | 1,251 | 5.8 | 26.5 |
| -8: Don't Know | 5 | 1,256 | 0.1 | 26.6 |
| -1: Inapplicable | 3,464 | 4,720 | 73.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Acceptance of New Patients

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| MRNUFPT | Numeric | 2.0 | 334 | 335 |

Question: Q38a_4

If your practice accepts some or no new MEDICARE patients, please indicate the importance of each of the following reasons for your practice's decision. 4. Practice already has enough patients

Universe: All physicians who responded "Some" or "No new Medicare and Medicare Managed Care patients" to Q38 (NWMCARE=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 259 | 259 | 5.5 | 5.5 |
| 2: Not very important | 187 | 446 | 4.0 | 9.4 |
| 3: Moderately important | 210 | 656 | 4.4 | 13.9 |
| 4: Very important | 335 | 991 | 7.1 | 21.0 |
| -9: Not Ascertained | 260 | 1,251 | 5.5 | 26.5 |
| -8: Don't Know | 5 | 1,256 | 0.1 | 26.6 |
| -1: Inapplicable | 3,464 | 4,720 | 73.4 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| MRPTBUR | Numeric | 2.0 | 336 | 337 |
|----------------|---------|-----|-----|-----|

Question: Q38a_5

If your practice accepts some or no new MEDICARE patients, please indicate the importance of each of the following reasons for your practice's decision. 5. Medicare patients have high clinical burden.

Universe: All physicians who responded "Some" or "No new Medicare and Medicare Managed Care patients" to Q38 (NWMCARE=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 289 | 289 | 6.1 | 6.1 |
| 2: Not very important | 226 | 515 | 4.8 | 10.9 |
| 3: Moderately important | 231 | 746 | 4.9 | 15.8 |
| 4: Very important | 241 | 987 | 5.1 | 20.9 |
| -9: Not Ascertained | 264 | 1,251 | 5.6 | 26.5 |
| -8: Don't Know | 5 | 1,256 | 0.1 | 26.6 |
| -1: Inapplicable | 3,464 | 4,720 | 73.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Acceptance of New Patients

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| NWMCAID | Numeric | 2.0 | 338 | 339 |

Question: Q39

Is your practice accepting all, most, some, or no new patients who are insured through MEDICAID, including Medicaid managed care patients?

| Value | Count | Cum | Percent | CumPct |
|-------------------------------|-------|-------|---------|--------|
| 1: No new Medicaid patients | 1,352 | 1,352 | 28.6 | 28.6 |
| 2: Some new Medicaid patients | 919 | 2,271 | 19.5 | 48.1 |
| 3: Most new Medicaid patients | 581 | 2,852 | 12.3 | 60.4 |
| 4: All new Medicaid patients | 1,868 | 4,720 | 39.6 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| MDBILL | Numeric | 2.0 | 340 | 341 |
|---------------|---------|-----|-----|-----|

Question: Q39a_1

If your practice accepts some or no new MEDICAID patients, please indicate the importance of each of the following reasons for your practice's decision. 1. Billing requirements, including paperwork, and filing of claims.

Universe: All physicians who responded "Some" or "No new Medicaid and Medicaid Managed Care patients" to Q39 (NWMCAID=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 210 | 210 | 4.4 | 4.4 |
| 2: Not very important | 260 | 470 | 5.5 | 10.0 |
| 3: Moderately important | 504 | 974 | 10.7 | 20.6 |
| 4: Very important | 1,084 | 2,058 | 23.0 | 43.6 |
| -9: Not Ascertained | 203 | 2,261 | 4.3 | 47.9 |
| -8: Don't Know | 10 | 2,271 | 0.2 | 48.1 |
| -1: Inapplicable | 2,449 | 4,720 | 51.9 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Acceptance of New Patients

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| MDDELAY | Numeric | 2.0 | 342 | 343 |

Question: Q39a_2

If your practice accepts some or no new MEDICAID patients, please indicate the importance of each of the following reasons for your practice's decision. 2. Delayed reimbursement.

Universe: All physicians who responded "Some" or "No new Medicaid and Medicaid Managed Care patients" to Q39 (NWMCAID=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 208 | 208 | 4.4 | 4.4 |
| 2: Not very important | 283 | 491 | 6.0 | 10.4 |
| 3: Moderately important | 472 | 963 | 10.0 | 20.4 |
| 4: Very important | 1,075 | 2,038 | 22.8 | 43.2 |
| -9: Not Ascertained | 223 | 2,261 | 4.7 | 47.9 |
| -8: Don't Know | 10 | 2,271 | 0.2 | 48.1 |
| -1: Inapplicable | 2,449 | 4,720 | 51.9 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| MDREIMB | Numeric | 2.0 | 344 | 345 |
|----------------|---------|-----|-----|-----|

Question: Q39a_3

If your practice accepts some or no new MEDICAID patients, please indicate the importance of each of the following reasons for your practice's decision. 3. Inadequate reimbursement.

Universe: All physicians who responded "Some" or "No new Medicaid and Medicaid Managed Care patients" to Q39 (NWMCAID=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 112 | 112 | 2.4 | 2.4 |
| 2: Not very important | 73 | 185 | 1.5 | 3.9 |
| 3: Moderately important | 224 | 409 | 4.7 | 8.7 |
| 4: Very important | 1,652 | 2,061 | 35.0 | 43.7 |
| -9: Not Ascertained | 201 | 2,262 | 4.3 | 47.9 |
| -8: Don't Know | 9 | 2,271 | 0.2 | 48.1 |
| -1: Inapplicable | 2,449 | 4,720 | 51.9 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Acceptance of New Patients

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| MDNUFPT | Numeric | 2.0 | 346 | 347 |

Question: Q39a_4

If your practice accepts some or no new MEDICAID patients, please indicate the importance of each of the following reasons for your practice's decision. 4. Practice already has enough patients.

Universe: All physicians who responded "Some" or "No new Medicaid and Medicaid Managed Care patients" to Q39 (NWMCAID=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 574 | 574 | 12.2 | 12.2 |
| 2: Not very important | 457 | 1,031 | 9.7 | 21.8 |
| 3: Moderately important | 425 | 1,456 | 9.0 | 30.8 |
| 4: Very important | 571 | 2,027 | 12.1 | 42.9 |
| -9: Not Ascertained | 235 | 2,262 | 5.0 | 47.9 |
| -8: Don't Know | 9 | 2,271 | 0.2 | 48.1 |
| -1: Inapplicable | 2,449 | 4,720 | 51.9 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| MDPTBUR | Numeric | 2.0 | 348 | 349 |
|----------------|---------|-----|-----|-----|

Question: Q39a_5

If your practice accepts some or no new MEDICAID patients, please indicate the importance of each of the following reasons for your practice's decision. 5. Medicaid patients have high clinical burden.

Universe: All physicians who responded "Some" or "No new Medicaid and Medicaid Managed Care patients" to Q39 (NWMCAID=1,2).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 414 | 414 | 8.8 | 8.8 |
| 2: Not very important | 476 | 890 | 10.1 | 18.9 |
| 3: Moderately important | 543 | 1,433 | 11.5 | 30.4 |
| 4: Very important | 610 | 2,043 | 12.9 | 43.3 |
| -9: Not Ascertained | 219 | 2,262 | 4.6 | 47.9 |
| -8: Don't Know | 9 | 2,271 | 0.2 | 48.1 |
| -1: Inapplicable | 2,449 | 4,720 | 51.9 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Practice Acceptance of New Patients

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| NWPRIV | Numeric | 2.0 | 350 | 351 |

Question: Q40

Is your practice accepting all, most, some, or no new patients through PRIVATE OR COMMERCIAL INSURANCE PLANS, including managed care plans and HMOs with which the practice has contracts?

| Value | Count | Cum | Percent | CumPct |
|--|-------|-------|---------|--------|
| 1: No new privately insured patients | 202 | 202 | 4.3 | 4.3 |
| 2: Some new privately insured patients | 428 | 630 | 9.1 | 13.3 |
| 3: Most new privately insured patients | 1,389 | 2,019 | 29.4 | 42.8 |
| 4: All new privately insured patients | 2,701 | 4,720 | 57.2 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Sources of Practice Revenue

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| PM CARE | Numeric | 3.0 | 352 | 354 |

Question: Q41

Approximately what percentage of the practice revenue from patient care comes from MEDICARE (including Medicare health plans) ?

| Value | Count | Cum | Percent | CumPct |
|---------|-------|-------|---------|--------|
| 0% | 594 | 594 | 12.6 | 12.6 |
| 1-25% | 1,517 | 2,111 | 32.1 | 44.7 |
| 26-50% | 1,802 | 3,913 | 38.2 | 82.9 |
| 51-75% | 646 | 4,559 | 13.7 | 96.6 |
| 76-100% | 161 | 4,720 | 3.4 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PM CAID | Numeric | 3.0 | 355 | 357 |
|----------------|---------|-----|-----|-----|

Question: Q41

Approximately what percentage of the practice revenue comes from MEDICAID (including Medicaid managed care) and other public insurance for low income people?

| Value | Count | Cum | Percent | CumPct |
|---------|-------|-------|---------|--------|
| 0% | 874 | 874 | 18.5 | 18.5 |
| 1-25% | 2,848 | 3,722 | 60.3 | 78.9 |
| 26-50% | 669 | 4,391 | 14.2 | 93.0 |
| 51-75% | 204 | 4,595 | 4.3 | 97.4 |
| 76-100% | 125 | 4,720 | 2.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PCAPREV | Numeric | 3.0 | 358 | 360 |
|----------------|---------|-----|-----|-----|

Question: Q42

Under CAPITATION, a fixed amount is paid per patient per month regardless of the services provided. Thinking about the patient care revenue from all sources received by the practice in which you work, what percentage is paid on a capitated or other prepaid basis?

| Value | Count | Cum | Percent | CumPct |
|---------|-------|-------|---------|--------|
| 0% | 2,865 | 2,865 | 60.7 | 60.7 |
| 1-25% | 1,113 | 3,978 | 23.6 | 84.3 |
| 26-50% | 408 | 4,386 | 8.6 | 92.9 |
| 51-75% | 142 | 4,528 | 3.0 | 95.9 |
| 76-100% | 192 | 4,720 | 4.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Sources of Practice Revenue

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| NMCCON | Numeric | 2.0 | 361 | 362 |

Question: Q43

With how many health plans does your practice have managed care contracts?

| Value | Count | Cum | Percent | CumPct |
|----------|-------|-------|---------|--------|
| 0: 0 | 578 | 578 | 12.2 | 12.2 |
| 1: 1-4 | 846 | 1,424 | 17.9 | 30.2 |
| 2: 5-9 | 1,247 | 2,671 | 26.4 | 56.6 |
| 3: 10-19 | 1,345 | 4,016 | 28.5 | 85.1 |
| 4: 20+ | 704 | 4,720 | 14.9 | 100.0 |

Health Tracking Physician Survey Public Use File
2008 Data
Medical Malpractice

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| MALWORRY | Numeric | 2.0 | 363 | 364 |

Question: Q44_1

Considering the full range of patients that you see, indicate your level of agreement with the following statements about medical malpractice. 1. I am concerned that I will be involved in a malpractice case sometime in the next 10 years.

| Value | Count | Cum | Percent | CumPct |
|----------------------|-------|-------|---------|--------|
| 1: Strongly Disagree | 281 | 281 | 6.0 | 6.0 |
| 2: Disagree | 593 | 874 | 12.6 | 18.5 |
| 3: Not Sure | 946 | 1,820 | 20.0 | 38.6 |
| 4: Agree | 1,605 | 3,425 | 34.0 | 72.6 |
| 5: Agree Strongly | 1,260 | 4,685 | 26.7 | 99.3 |
| -9: Not Ascertained | 35 | 4,720 | 0.7 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| MALDAILY | Numeric | 2.0 | 365 | 366 |
|-----------------|---------|-----|-----|-----|

Question: Q44_2

Considering the full range of patients that you see, indicate your level of agreement with the following statements about medical malpractice. 2. I feel pressured in my day-to-day practice by the threat of malpractice litigation.

| Value | Count | Cum | Percent | CumPct |
|----------------------|-------|-------|---------|--------|
| 1: Strongly Disagree | 348 | 348 | 7.4 | 7.4 |
| 2: Disagree | 998 | 1,346 | 21.1 | 28.5 |
| 3: Not Sure | 372 | 1,718 | 7.9 | 36.4 |
| 4: Agree | 1,731 | 3,449 | 36.7 | 73.1 |
| 5: Agree Strongly | 1,242 | 4,691 | 26.3 | 99.4 |
| -9: Not Ascertained | 29 | 4,720 | 0.6 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Medical Malpractice

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| MALTESTS | Numeric | 2.0 | 367 | 368 |

Question: Q44_3

Considering the full range of patients that you see, indicate your level of agreement with the following statements about medical malpractice. 3. I order some tests or consultations simply to avoid the appearance of malpractice.

| Value | Count | Cum | Percent | CumPct |
|----------------------|-------|-------|---------|--------|
| 1: Strongly Disagree | 375 | 375 | 7.9 | 7.9 |
| 2: Disagree | 971 | 1,346 | 20.6 | 28.5 |
| 3: Not Sure | 371 | 1,717 | 7.9 | 36.4 |
| 4: Agree | 1,830 | 3,547 | 38.8 | 75.1 |
| 5: Agree Strongly | 1,134 | 4,681 | 24.0 | 99.2 |
| -9: Not Ascertained | 39 | 4,720 | 0.8 | 100.0 |

| | | | | |
|-----------------|---------|-----|-----|-----|
| MALCNSLT | Numeric | 2.0 | 369 | 370 |
|-----------------|---------|-----|-----|-----|

Question: Q44_4

Considering the full range of patients that you see, indicate your level of agreement with the following statements about medical malpractice. 4. Sometimes I ask for consultant opinions primarily to reduce my risk of being sued.

| Value | Count | Cum | Percent | CumPct |
|----------------------|-------|-------|---------|--------|
| 1: Strongly Disagree | 390 | 390 | 8.3 | 8.3 |
| 2: Disagree | 1,089 | 1,479 | 23.1 | 31.3 |
| 3: Not Sure | 386 | 1,865 | 8.2 | 39.5 |
| 4: Agree | 1,809 | 3,674 | 38.3 | 77.8 |
| 5: Agree Strongly | 1,017 | 4,691 | 21.5 | 99.4 |
| -9: Not Ascertained | 29 | 4,720 | 0.6 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Medical Malpractice

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| MALCRISK | Numeric | 2.0 | 371 | 372 |

Question: Q44_5

Considering the full range of patients that you see, indicate your level of agreement with the following statements about medical malpractice. 5. Relying on clinical judgment rather than on technology to make a diagnosis is becoming riskier because of the threat of malpractice suits.

| Value | Count | Cum | Percent | CumPct |
|----------------------|-------|-------|---------|--------|
| 1: Strongly Disagree | 197 | 197 | 4.2 | 4.2 |
| 2: Disagree | 434 | 631 | 9.2 | 13.4 |
| 3: Not Sure | 406 | 1,037 | 8.6 | 22.0 |
| 4: Agree | 1,925 | 2,962 | 40.8 | 62.8 |
| 5: Agree Strongly | 1,729 | 4,691 | 36.6 | 99.4 |
| -9: Not Ascertained | 29 | 4,720 | 0.6 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Medical Equipment and Hospital Ownership

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| LABOWN | Numeric | 2.0 | 373 | 374 |

Question: Q45a_A

Does your main practice own (fully or in part) or lease the types of medical equipment listed below? a. Laboratory testing, including routine blood work.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,051 | 3,051 | 64.6 | 64.6 |
| 1: Yes | 1,533 | 4,584 | 32.5 | 97.1 |
| -9: Not Ascertained | 123 | 4,707 | 2.6 | 99.7 |
| -8: Don't Know | 13 | 4,720 | 0.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| XRAYOWN | Numeric | 2.0 | 375 | 376 |
|----------------|---------|-----|-----|-----|

Question: Q45b_A

Does your main practice own (fully or in part) or lease the types of medical equipment listed below? b. X-rays.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,151 | 3,151 | 66.8 | 66.8 |
| 1: Yes | 1,420 | 4,571 | 30.1 | 96.8 |
| -9: Not Ascertained | 137 | 4,708 | 2.9 | 99.7 |
| -8: Don't Know | 12 | 4,720 | 0.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| IMAGOWN | Numeric | 2.0 | 377 | 378 |
|----------------|---------|-----|-----|-----|

Question: Q45c_A

Does your main practice own (fully or in part) or lease the types of medical equipment listed below? c. Other diagnostic imaging, such as CT or MRI scans

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,444 | 3,444 | 73.0 | 73.0 |
| 1: Yes | 1,113 | 4,557 | 23.6 | 96.5 |
| -9: Not Ascertained | 151 | 4,708 | 3.2 | 99.7 |
| -8: Don't Know | 12 | 4,720 | 0.3 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Medical Equipment and Hospital Ownership

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| NIVOWN | Numeric | 2.0 | 379 | 380 |

Question: Q45d_A

Does your main practice own (fully or in part) or lease the types of medical equipment listed below? d. Non-invasive testing besides EKGs (e.g., Echocardiograms, treadmill, nuclear testing, sleep testing).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,042 | 3,042 | 64.4 | 64.4 |
| 1: Yes | 1,533 | 4,575 | 32.5 | 96.9 |
| -9: Not Ascertained | 133 | 4,708 | 2.8 | 99.7 |
| -8: Don't Know | 12 | 4,720 | 0.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| IVPROWN | Numeric | 2.0 | 381 | 382 |
|----------------|---------|-----|-----|-----|

Question: Q45e_A

Does your main practice own (fully or in part) or lease the types of medical equipment listed below? e. Invasive procedures, such as endoscopy or cardiac catheterization.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,685 | 3,685 | 78.1 | 78.1 |
| 1: Yes | 872 | 4,557 | 18.5 | 96.5 |
| -9: Not Ascertained | 150 | 4,707 | 3.2 | 99.7 |
| -8: Don't Know | 13 | 4,720 | 0.3 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| OWNHSP | Numeric | 2.0 | 383 | 384 |
|---------------|---------|-----|-----|-----|

Question: Q47

Does your main practice own (fully or in part) a hospital?

| Value | Count | Cum | Percent | CumPct |
|--|-------|-------|---------|--------|
| 0: No | 3,826 | 3,826 | 81.1 | 81.1 |
| 1: Yes | 184 | 4,010 | 3.9 | 85.0 |
| 2: Unsure | 40 | 4,050 | 0.8 | 85.8 |
| 3: Main practice is a hosp or owned by | 614 | 4,664 | 13.0 | 98.8 |
| -9: Not Ascertained | 56 | 4,720 | 1.2 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Compensation

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| COMPTYP | Numeric | 2.0 | 385 | 386 |

Question: Q49

Which of the following methods best describes your basic compensation?

Description: The "Solo practioner" category was not in the original questionnaire. It was added to record this verbatim response. All other verbatim responses for "Other Method (Describe)" were reviewed and assigned to one of the codes 1-4.

| Value | Count | Cum | Percent | CumPct |
|--|-------|-------|---------|--------|
| 1: Fixed salary | 1,139 | 1,139 | 24.1 | 24.1 |
| 2: Salary adjusted for performance | 2,054 | 3,193 | 43.5 | 67.6 |
| 3: Shift, hourly, other time-based pay | 282 | 3,475 | 6.0 | 73.6 |
| 4: Share of practice billings/workload | 908 | 4,383 | 19.2 | 92.9 |
| 6: Solo Practitioner | 274 | 4,657 | 5.8 | 98.7 |
| -9: Not Ascertained | 63 | 4,720 | 1.3 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| BONUSR | Numeric | 2.0 | 387 | 388 |
|---------------|---------|-----|-----|-----|

Question: Q50

Are you eligible to earn income through any type of bonus or incentive plan?

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 2,557 | 2,557 | 54.2 | 54.2 |
| 1: Yes | 2,104 | 4,661 | 44.6 | 98.8 |
| -9: Not Ascertained | 56 | 4,717 | 1.2 | 99.9 |
| -8: Don't Know | 3 | 4,720 | 0.1 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| SPROD | Numeric | 2.0 | 389 | 390 |
|--------------|---------|-----|-----|-----|

Question: Q51a

Is the factor explicitly considered in determining your compensation? a. Factors that reflect your own productivity.

| Value | Count | Cum | Percent | CumPct |
|--------------------------------|-------|-------|---------|--------|
| 0: Factor does not affect comp | 1,474 | 1,474 | 31.2 | 31.2 |
| 1: Factor affects compensation | 3,088 | 4,562 | 65.4 | 96.7 |
| -9: Not Ascertained | 158 | 4,720 | 3.3 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Compensation

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| IMPPROD | Numeric | 2.0 | 391 | 392 |

Question: Q51a

IF YES, how important is the factor in determining your compensation? a. Factors that reflect your own productivity.

Universe: All physicians who responded "Yes" to Q51a (SPROD=1).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 16 | 16 | 0.3 | 0.3 |
| 2: Not very important | 163 | 179 | 3.5 | 3.8 |
| 3: Moderately important | 735 | 914 | 15.6 | 19.4 |
| 4: Very important | 2,112 | 3,026 | 44.7 | 64.1 |
| -9: Not Ascertained | 62 | 3,088 | 1.3 | 65.4 |
| -1: Inapplicable | 1,632 | 4,720 | 34.6 | 100.0 |

| | | | | |
|-------------|---------|-----|-----|-----|
| SSAT | Numeric | 2.0 | 393 | 394 |
|-------------|---------|-----|-----|-----|

Question: Q51b

Is the factor explicitly considered in determining your compensation? b. Results of satisfaction surveys completed by your own patients.

| Value | Count | Cum | Percent | CumPct |
|--------------------------------|-------|-------|---------|--------|
| 0: Factor does not affect comp | 3,596 | 3,596 | 76.2 | 76.2 |
| 1: Factor affects compensation | 957 | 4,553 | 20.3 | 96.5 |
| -9: Not Ascertained | 167 | 4,720 | 3.5 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| IMPSAT | Numeric | 2.0 | 395 | 396 |
|---------------|---------|-----|-----|-----|

Question: Q51b

IF YES, how important is the factor in determining your compensation?
b. Results of satisfaction surveys completed by your own patients.

Universe: All physicians who responded "Yes" to Q51b (SSAT=1).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 29 | 29 | 0.6 | 0.6 |
| 2: Not very important | 240 | 269 | 5.1 | 5.7 |
| 3: Moderately important | 412 | 681 | 8.7 | 14.4 |
| 4: Very important | 259 | 940 | 5.5 | 19.9 |
| -9: Not Ascertained | 17 | 957 | 0.4 | 20.3 |
| -1: Inapplicable | 3,763 | 4,720 | 79.7 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Compensation

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| SQUAL | Numeric | 2.0 | 397 | 398 |

Question: Q51c

Is the factor explicitly considered in determining your compensation? c. Specific measures of quality of care, such as rates of preventive care services for your patients.

| Value | Count | Cum | Percent | CumPct |
|--------------------------------|-------|-------|---------|--------|
| 0: Factor does not affect comp | 3,697 | 3,697 | 78.3 | 78.3 |
| 1: Factor affects compensation | 853 | 4,550 | 18.1 | 96.4 |
| -9: Not Ascertained | 170 | 4,720 | 3.6 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| IMPQUAL | Numeric | 2.0 | 399 | 400 |
|----------------|---------|-----|-----|-----|

Question: Q51c

IF YES, how important is the factor in determining your compensation? c. Specific measures of quality of care, such as rates of preventive care services for your patients.

Universe: All physicians who responded "Yes" to Q51c (SQUAL=1).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 28 | 28 | 0.6 | 0.6 |
| 2: Not very important | 223 | 251 | 4.7 | 5.3 |
| 3: Moderately important | 347 | 598 | 7.4 | 12.7 |
| 4: Very important | 230 | 828 | 4.9 | 17.5 |
| -9: Not Ascertained | 25 | 853 | 0.5 | 18.1 |
| -1: Inapplicable | 3,867 | 4,720 | 81.9 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| SPROF | Numeric | 2.0 | 401 | 402 |
|--------------|---------|-----|-----|-----|

Question: Q51d

Is the factor explicitly considered in determining your compensation? d. Results of practice profiling, i.e., comparing your pattern of using medical resources with that of other physicians.

| Value | Count | Cum | Percent | CumPct |
|--------------------------------|-------|-------|---------|--------|
| 0: Factor does not affect comp | 3,913 | 3,913 | 82.9 | 82.9 |
| 1: Factor affects compensation | 633 | 4,546 | 13.4 | 96.3 |
| -9: Not Ascertained | 173 | 4,719 | 3.7 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Compensation

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| IMPPROF | Numeric | 2.0 | 403 | 404 |

Question: Q51d

IF YES, how important is the factor in determining your compensation? d. Results of practice profiling, i.e., comparing your pattern of using medical resources with that of other physicians.

Universe: All physicians who responded "Yes" to Q51d (SPROF=1).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 28 | 28 | 0.6 | 0.6 |
| 2: Not very important | 158 | 186 | 3.3 | 3.9 |
| 3: Moderately important | 290 | 476 | 6.1 | 10.1 |
| 4: Very important | 134 | 610 | 2.8 | 12.9 |
| -9: Not Ascertained | 23 | 633 | 0.5 | 13.4 |
| -1: Inapplicable | 4,087 | 4,720 | 86.6 | 100.0 |

| | | | | |
|--------------|---------|-----|-----|-----|
| SPERF | Numeric | 2.0 | 405 | 406 |
|--------------|---------|-----|-----|-----|

Question: Q51e

Is the factor explicitly considered in determining your compensation? e. The overall financial performance of the practice.

| Value | Count | Cum | Percent | CumPct |
|--------------------------------|-------|-------|---------|--------|
| 0: Factor does not affect comp | 1,415 | 1,415 | 30.0 | 30.0 |
| 1: Factor affects compensation | 3,142 | 4,557 | 66.6 | 96.5 |
| -9: Not Ascertained | 162 | 4,719 | 3.4 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| IMPPERF | Numeric | 2.0 | 407 | 408 |
|----------------|---------|-----|-----|-----|

Question: Q51e

IF YES, how important is the factor in determining your compensation? e. The overall financial performance of the practice.

Universe: All physicians who responded "Yes" to Q51e (SPERF=1).

| Value | Count | Cum | Percent | CumPct |
|-------------------------|-------|-------|---------|--------|
| 1: Not at all important | 13 | 13 | 0.3 | 0.3 |
| 2: Not very important | 183 | 196 | 3.9 | 4.2 |
| 3: Moderately important | 857 | 1,053 | 18.2 | 22.3 |
| 4: Very important | 2,001 | 3,054 | 42.4 | 64.7 |
| -9: Not Ascertained | 88 | 3,142 | 1.9 | 66.6 |
| -1: Inapplicable | 1,578 | 4,720 | 33.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Compensation

| Variable Name | Variable Type | Length | Start | End |
|----------------------|---------------|--------|-------|-----|
| <i>FREEFD</i> | Numeric | 2.0 | 409 | 410 |

Question: Q52a

During 2006, did you personally receive any of the following from drug, device, or other medically-related companies? Include honoraria and payments from marketing and research firms working for medically-related companies. a. Food and/or beverages in your workplace.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,224 | 1,224 | 25.9 | 25.9 |
| 1: Yes | 3,435 | 4,659 | 72.8 | 98.7 |
| -9: Not Ascertained | 61 | 4,720 | 1.3 | 100.0 |

| | | | | |
|----------------------|---------|-----|-----|-----|
| <i>FREERX</i> | Numeric | 2.0 | 411 | 412 |
|----------------------|---------|-----|-----|-----|

Question: Q52b

During 2006, did you personally receive any of the following from drug, device, or other medically-related companies? Include honoraria and payments from marketing and research firms working for medically-related companies. b. Free drug samples.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 1,151 | 1,151 | 24.4 | 24.4 |
| 1: Yes | 3,513 | 4,664 | 74.4 | 98.8 |
| -9: Not Ascertained | 56 | 4,720 | 1.2 | 100.0 |

| | | | | |
|-----------------------|---------|-----|-----|-----|
| <i>HNSPEAK</i> | Numeric | 2.0 | 413 | 414 |
|-----------------------|---------|-----|-----|-----|

Question: Q52c

During 2006, did you personally receive any of the following from drug, device, or other medically-related companies? Include honoraria and payments from marketing and research firms working for medically-related companies. c. Honoraria for speaking.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,925 | 3,925 | 83.2 | 83.2 |
| 1: Yes | 725 | 4,650 | 15.4 | 98.5 |
| -9: Not Ascertained | 70 | 4,720 | 1.5 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Compensation

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| HNSRVY | Numeric | 2.0 | 415 | 416 |

Question: Q52d

During 2006, did you personally receive any of the following from drug, device, or other medically-related companies? Include honoraria and payments from marketing and research firms working for medically-related companies. d. Honoraria for participating in surveys on prescribing practices.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 3,265 | 3,265 | 69.2 | 69.2 |
| 1: Yes | 1,390 | 4,655 | 29.4 | 98.6 |
| -9: Not Ascertained | 63 | 4,718 | 1.3 | 100.0 |
| -8: Don't Know | 2 | 4,720 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| PYCNSLT | Numeric | 2.0 | 417 | 418 |
|----------------|---------|-----|-----|-----|

Question: Q52e

During 2006, did you personally receive any of the following from drug, device, or other medically-related companies? Include honoraria and payments from marketing and research firms working for medically-related companies. e. Payment for consulting services.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 4,150 | 4,150 | 87.9 | 87.9 |
| 1: Yes | 509 | 4,659 | 10.8 | 98.7 |
| -9: Not Ascertained | 61 | 4,720 | 1.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| CSTTRVL | Numeric | 2.0 | 419 | 420 |
|----------------|---------|-----|-----|-----|

Question: Q52g

During 2006, did you personally receive any of the following from drug, device, or other medically-related companies? Include honoraria and payments from marketing and research firms working for medically-related companies. g. Costs for travel for attending meetings.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 4,167 | 4,167 | 88.3 | 88.3 |
| 1: Yes | 490 | 4,657 | 10.4 | 98.7 |
| -9: Not Ascertained | 63 | 4,720 | 1.3 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Compensation

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| CMECRDT | Numeric | 2.0 | 421 | 422 |

Question: Q52j

During 2006, did you personally receive any of the following from drug, device, or other medically-related companies? Include honoraria and payments from marketing and research firms working for medically-related companies. j. Complimentary or subsidized admission to meetings or conferences for which CME credits are awarded.

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| 0: No | 4,026 | 4,026 | 85.3 | 85.3 |
| 1: Yes | 632 | 4,658 | 13.4 | 98.7 |
| -9: Not Ascertained | 61 | 4,719 | 1.3 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| GFTOTHX | Numeric | 2.0 | 423 | 424 |
|----------------|---------|-----|-----|-----|

Question: N/A

Description: This variable indicates the physician received payments from drug/device companies in excess of costs for enrolling patients in clinical trials (PYTRIAL=1), received gifts as a result of prescribing practices (GIFTRX=1), or received complementary tickets to events (GFTTCKT=1).

| Value | Count | Cum | Percent | CumPct |
|---------------------|-------|-------|---------|--------|
| No | 4,386 | 4,386 | 92.9 | 92.9 |
| Yes | 264 | 4,650 | 5.6 | 98.5 |
| -9: Not Ascertained | 70 | 4,720 | 1.5 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Compensation

| Variable Name | Variable Type | Length | Start | End |
|-----------------|---------------|--------|-------|-----|
| MRELCMPX | Numeric | 2.0 | 425 | 426 |

Question: Q53

Excluding any food, beverages, and drug samples you may have received in your workplace, please estimate the total value of all goods and services you received in 2006 from drug, device, or other medically-related companies? Include honoraria or payments from surveys on prescribing practices conducted by marketing or research firms for medically-related companies.

Description: This variable top coded at \$5,001.

| Value | Count | Cum | Percent | CumPct |
|-----------------------|-------|-------|---------|--------|
| 0: None | 2,380 | 2,380 | 50.4 | 50.4 |
| 1: \$1 to \$500 | 1,484 | 3,864 | 31.4 | 81.9 |
| 2: \$501 to \$1,000 | 338 | 4,202 | 7.2 | 89.0 |
| 3: \$1,001 to \$5,000 | 283 | 4,485 | 6.0 | 95.0 |
| 4: \$5,001 or more | 164 | 4,649 | 3.5 | 98.5 |
| -9: Not Ascertained | 70 | 4,719 | 1.5 | 100.0 |
| -8: Don't Know | 1 | 4,720 | 0.0 | 100.0 |

| | | | | |
|---------------|---------|-----|-----|-----|
| INCCAT | Numeric | 2.0 | 427 | 428 |
|---------------|---------|-----|-----|-----|

Question: Q54

During 2006, what was your own net income from the practice of medicine, after expenses but before taxes?

| Value | Count | Cum | Percent | CumPct |
|---------------------------|-------|-------|---------|--------|
| 1: Less than \$100,000 | 575 | 575 | 12.2 | 12.2 |
| 2: \$100,001 to \$150,000 | 1,074 | 1,649 | 22.8 | 34.9 |
| 3: \$150,001 to \$200,000 | 975 | 2,624 | 20.7 | 55.6 |
| 4: \$200,001 to \$250,000 | 687 | 3,311 | 14.6 | 70.1 |
| 5: \$250,001 to \$300,000 | 491 | 3,802 | 10.4 | 80.6 |
| 6: More than \$300,000 | 918 | 4,720 | 19.4 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data Compensation

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| INCPROD | Numeric | 2.0 | 429 | 430 |

Question: Q55

What percent of your own net income from the practice of medicine is based on factors that reflect your own productivity?

| Value | Count | Cum | Percent | CumPct |
|----------------------|-------|-------|---------|--------|
| 0: None | 909 | 909 | 19.3 | 19.3 |
| 1: 1 to 10 percent | 417 | 1,326 | 8.8 | 28.1 |
| 2: 11 to 25 percent | 315 | 1,641 | 6.7 | 34.8 |
| 3: 26 to 50 percent | 256 | 1,897 | 5.4 | 40.2 |
| 4: 51 to 75 percent | 390 | 2,287 | 8.3 | 48.5 |
| 5: 76 to 100 percent | 2,321 | 4,608 | 49.2 | 97.6 |
| -9: Not Ascertained | 109 | 4,717 | 2.3 | 99.9 |
| -8: Don't Know | 2 | 4,719 | 0.0 | 100.0 |
| -7: Refused | 1 | 4,720 | 0.0 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Personal Background

| Variable Name | Variable Type | Length | Start | End |
|----------------|---------------|--------|-------|-----|
| RACETHX | Numeric | 2.0 | 431 | 432 |

Question: N/A

Description: For confidentiality reasons, Native American, Alaska Native, Other or Mixed Race were combined into one category called Other/Mix. .

| Value | Count | Cum | Percent | CumPct |
|---|-------|-------|---------|--------|
| 1: Hispanic | 244 | 244 | 5.2 | 5.2 |
| 2: White, non-Hispanic | 3,452 | 3,696 | 73.1 | 78.3 |
| 3: Black/African American, non-Hispanic | 167 | 3,863 | 3.5 | 81.8 |
| 4: Asian or Pacific Islander | 685 | 4,548 | 14.5 | 96.4 |
| 5: Other/Mix | 60 | 4,608 | 1.3 | 97.6 |
| -9: Not Ascertained | 99 | 4,707 | 2.1 | 99.7 |
| -7: Refused | 13 | 4,720 | 0.3 | 100.0 |

| | | | | |
|----------------|---------|-----|-----|-----|
| ADM_PAT | Numeric | 2.0 | 433 | 434 |
|----------------|---------|-----|-----|-----|

Question: Q60

Flag indicates not admitting patients.

| Value | Count | Cum | Percent | CumPct |
|--------|-------|-------|---------|--------|
| 0: No | 3,443 | 3,443 | 72.9 | 72.9 |
| 1: Yes | 1,277 | 4,720 | 27.1 | 100.0 |

Health Tracking Physician Survey Public Use File

2008 Data

Weights and Sampling Variables

| Variable Name | Variable Type | Length | Start | End |
|---------------|---------------|--------|-------|-----|
| WEIGHT | Numeric | 10.6 | 435 | 444 |

Question: N/A

Description: Weights for making national estimates.

| Value | Count | Cum | Percent | CumPct |
|--------|-------|-------|---------|--------|
| 45-149 | 4,720 | 4,720 | 100.0 | 100.0 |